







Product Guide & Specifications



0111

ABOUT LP® SMARTSIDE® TRIM & SIDING

Durability	03
Workability	05
Sustainability	07
Beauty	09

PRODUCTS

ExpertFinish®13
Lap Siding 17
Shakes 18
Panel & Vertical Siding 19 Trim &

Accessories 22
Primed LP SmartSide 23
Primed Products 25

Primed Products 25

Fascia 20 Soffit 21

27

33

APPLICATIONS

New Home 29 Remodel 30 Outdoor Building Solutions 31 Multifamily 32

SPECIFICATIONS

ExpertFinish Trim & Siding
Cedar Texture Lap Siding
Lap Siding Coverage Chart
Cedar Texture Shakes
Shakes Coverage Chart
Panel Siding
Cedar Texture Trim
Brushed Smooth Trim 35 69 70 71 72 73
Cedar Secure Soffit
Vented Soffit
Vertical Siding 81
Accessories





All LPo SmartSideo products are treated to the core through our proprietary LPo SmartGuardo manufacturing process. With a carefully formulated mix of resins, waxes and zinc borate, the SmartGuard process adds strength and helps LP SmartSide products offer protection against hail, moisture, termites and fungal decay.

See more about how LP SmartSide products are made at YouTube.com/LPSmartSide

FOUR COMPONENTS OF PROTECTION

LP's proprietary SmartGuard manufacturing process helps ensure that every LP SmartSide Trim & Siding product is treated with an advanced formula of adhesive resins, water-resistant waxes and zinc borate, after which a water-resistant, resin-saturated overlay is bonded to the product. The result: four components of protection against water damage, termites and fungal

















Testing shows that LP SmartSide products resist impact better than vinyl and fiber cement siding, which means they can stand up better against everything from everyday bumps to storm debris. And because it doesn't break as easily as fiber cement siding, LP SmartSide siding is also easier to handle and installresulting in less waste.

HAIL AND WIND RESISTANCE

Third-party test results demonstrate that LP SmartSide lap siding resisted hail damage better than fiber cement and vinyl. In fact, the LP SmartSide warranty covers impacts from hail up to 1.75 inches in diameter. LP SmartSide lap siding is also designed to withstand tough storms with wind gusts of up to 200 miles per hour. Refer to ESR-1301 or PR-N124.

RESISTANCE TO FUNGAL DECAY AND TERMITES

Since 1996, LP SmartSide siding has undergone brutal testing in Hilo, Hawaii. An average temperature of more than 70 degrees, high levels of humidity, and almost 170 inches of annual rainfall make Hilo's climate the perfect breeding ground for termites, moisture and fungal decay. Yet our Exterior Exposure Program continues to validate that LP SmartSide siding performs over time.

LP SmartSide product testing in Hilo, Ha

eated wood (left), LP SmartSide (right)

BACKED BY STRONG WARRANTIES

LP has your back with an industry-leading transferable prorated limited warranty for LP SmartSide products: a 5-year 100% labor and material replacement warranty with a 50-year prorated limited warranty. LPo SmartSideo ExpertFinisho Trim & Siding products include an additional 15-year finish warranty.

For complete warranty details visit LPCorp.com/Literature





ENGINEERED FOR FASTER & EASIER INSTALLATIONS LP* SmartSide* products help you build with greater efficiency on the jobsite. From longer lengths and advanced durability to reduced waste, the math is simple—using LP SmartSide products can help boost your bottom line so you can install siding on more homes in less time.



PUTTING LP SMARTSIDE PRODUCTS TO THE TEST

With RSMeans, a trusted third-party construction data company, we tested the productivity of LP SmartSide and LP SmartSide ExpertFinish® products against comparable fiber cement products to find out which helps you install faster, cut waste, and reduce build cycles.

THE RESULTS

Primed LP SmartSide vs. Fiber Cement

- LP SmartSide lap installs faster
- LP SmartSide trim installs faster



LP SmartSide ExpertFinish vs. Prefinished Fiber Cement

- LP SmartSide ExpertFinish lap installs faster
- LP SmartSide ExpertFinish trim installs faster

THE BOTTOM LINE

With lighter weights, longer lengths, and advanced durability, LP SmartSide Trim & Lap Siding installs faster than fiber cement trim & lap siding.

THE LP SMARTSIDE DIFFERENCE



Lighter Weights:

LP SmartSide lap siding weighs 45% less per foot than fiber cement lap siding.



Longer Lengths:

LP SmartSide siding's 16-foot lengths may lead to fewer seams and cuts, compared to fiber cement's 12-foot lengths.



Advanced Durability:

LP SmartSide siding is less prone to breakage than fiber cement, helping to reduce waste.

See more about how LP SmartSide products stack up to the competition at LPCorp.com/Proven-Productivity

5





We're not just building for the future; we're helping to protect it by using Sustainable Forestry Initiative® (SFI) certified forest management and fiber sourcing systems to help ensure that our wood comes from well-managed forests.

NATURALLY SUSTAINABLE

The LP SmartSide manufacturing process begins with wood, a renewable resource, grown and gathered responsibly under strict SFI standards. We target fast-growing trees and use 99% of the log for either the product or the fuel to make it. Plus, all binding agents and resins are low-emitting.

A DURABLE CARBON-NEGATIVE SIDING OPTION

The amount of carbon dioxide emitted during production of LP SmartSide products is less than the amount the product stores over its lifetime, qualifying them as carbon negative. In fact, LP SmartSide products emit 54% less greenhouse gases and store 10 times more carbon than fiber cement–based products.

Learn more about LP's environmental programs at LPCorp.com/Sustainability



PRODUCTS

GIVE YOUR VISION THE FINISHING TOUCH

Choose your style. Choose your color. Get the look you want—that's the beauty of working with LP₀ SmartSide₀ engineered wood siding products. Available in prefinished and primed options, LP SmartSide Trim & Siding offers the versatility you need to achieve stunning results with ease.

WHICH PRODUCT COLLECTION FITS YOUR NEEDS?

LP SmartSide products are available in prefinished ExpertFinish® colors and primed. A variety of prefinished colors helps you see almost instant color—only a few touch-ups are required after installation. With primed products, you can paint siding any color you choose. Explore each option in the following pages.

See how LP SmartSide products can look on your home with the Home Visualizer tool, available at LPCorp.com/Home-Visualizer

COLORFUL SIDING. BEAUTIFUL FINISH.

LP® SMARTSIDE® EXPERTFINISH® TRIM & SIDING

The advanced durability you expect from LP_® SmartSide_® Trim & Siding comes in color. With a variety of versatile prefinished colors, there's a color that'll complement your project—no matter your style. Start visualizing how you could bring color to your design today!



TAKE ADVANTAGE OF STRONGER PREFINISHED OPTIONS

LP® SmartSide® ExpertFinish® Trim & Siding offers more design options than ever. This factory-finished siding with uniform color provides durability without sacrificing beauty.

- Installs easier with the ExpertFinish proprietary lap joint, which helps limit the need for most seam caulking, joint molds, or pan flashing
- Backed by an industry-leading 5/15/50-year limited warranty: 5-year labor and materials, 15-year finish, and 50-year substrate
- May allow for time and labor savings for the installer and builder
- Uniform color application in a controlled environment helps ensure a more attractive look



Visualize your next project and discover color at LPCorp.com/ExpertFinish

Which color is best for your build? Explore our collection of 16 versatile prefinished colors available in brushed smooth and cedar texture.



All colors shown are representative and may not be an exact match.

See the complete list of colors and product availability on pages 35-68.



DISCOVER COUNTLESS DESIGN OPPORTUNITIES

LP® SmartSide® ExpertFinish® Trim & Siding can take your design vision to the next level with several exclusive products designed to add style and a clean finish to your home. Siding and trim in colors that pop can make your home stand out, while additional details create a polished look that'll last longer.

- Pair multiple colors of trim, siding and more for a cohesive look
- Match your home's style to traditional colors for it—or try something new
- Achieve a modern look that still stands the test of time
- Choose from a variety of options for black or brown roofs



HOLDS UP. STANDS OUT.

LAP SIDING

Create the look you want with a versatile selection of LP® SmartSide® ExpertFinish® products. Engineered to stand up to extreme weather, LP SmartSide Lap Siding is a natural, durable choice for structures in most regions. Plus, it's a great companion cladding for structures partially finished in stucco, stone or brick.





A BEAUTIFUL ACCENT FOR ANY DESIGN

SHAKES

When you use LP® SmartSide® ExpertFinish® Cedar Texture Shakes on your projects, people will notice your attention to detail. The beautiful aesthetic can be used for accents, gables or siding walls and will take curb appeal to the next level. It's a must-have product for when you want your craftsmanship to stand out on most any home or shed.



Shown in ExpertFinish color Snowscape White



DURABLE FROM TOP TO BOTTOM

PANEL & VERTICAL SIDING

Tough to the core, LP_® SmartSide_® ExpertFinish_® Panel & Vertical Siding are treated engineered wood products that boast better durability, stability and consistency than traditional wood panels. They're easy to recommend for multifamily, shed and residential applications that require a premium look and the toughness to help combat extreme weather. Plus, they can help you re-create the charming appearance of board and batten while providing the added protection of the LP_® SmartGuard_® process.



LP SMARTSIDE EXPERTFINISH CEDAR TEXTURE PANEL

Shown in ExpertFinish color Snowscape White



LP SMARTSIDE EXPERTFINISH CEDAR TEXTURE VERTICAL SIDING

Shown in ExpertFinish color Snowscape White



LP SMARTSIDE EXPERTFINISH BRUSHED SMOOTH PANEL

Shown in ExpertFinish color Garden Sage



LP SMARTSIDE EXPERTFINISH BRUSHED SMOOTH VERTICAL SIDING

Shown in ExpertFinish color Garden Sage

THE FINISHING TOUCH TO MAKE THE NEIGHBORS JEALOUS

TRIM & FASCIA

LPo SmartSideo ExpertFinisho Trim & Fascia are the finishing touch that's the first to get noticed. With deep cedar-grain texture and brushed smooth options as well as a variety of widths and thicknesses, you can add custom design accents that take curb appeal to the next level. LP SmartSide ExpertFinish Trim is a must-have product for when you want your craftsmanship to stand out on any home or shed.



LP SMARTSIDE EXPERTFINISH CEDAR TEXTURE TRIM

 ${\bf Shown\,in\,ExpertFinish\,color\,Snowscape\,White}$



LP SMARTSIDE EXPERTFINISH
BRUSHED SMOOTH TRIM Shown in

ExpertFinish color Garden Sage



THE BEAUTY IS IN THE DETAILS

SOFFIT

When you use LP_® SmartSide_® ExpertFinish_® Soffit on your projects, people will notice your attention to detail. You'll get the same woodgrain or brushed smooth look that matches other LP SmartSide ExpertFinish products in a soffit that's pre-cut to the width you need. Vented soffits are also available with precisely cut, bug-resistant vents.



LP SMARTSIDE **EXPERTFINISH CEDAR TEXTURE SOFFIT**

Shown in ExpertFinish color Snowscape White



LP SMARTSIDE EXPERTFINISH CEDAR TEXTURE VENTED SOFFIT

> Shown in ExpertFinish color Snowscape White



LP SMARTSIDE **EXPERTFINISH BRUSHED SMOOTH SOFFIT**

> Shown in ExpertFinish color Garden Sage

INSTALL WITH EASE WITHOUT CUTTING CORNERS

OUTSIDE CORNERS, J-BLOCKS & MINI-SPLITS

Finish any structure's exterior with style and the same durability you trust with these efficient accessories, available in brushed smooth and cedar texture. Outside Corners allow you to skip creating corners on the jobsite while J-Blocks and Mini-Splits help you easily mount light fixtures, faucets and other outdoor fixtures.



Shown in ExpertFinish color Snowscape White



CEDAR TEXTURE





MINI-SPLIT CEDAR TEXTURE

Shown in ExpertFinish color Snowscape White



J-BLOCK BRUSHED SMOOTH

Shown in ExpertFinish color Garden Sage



MINI-SPLIT BRUSHED SMOOTH

Shown in ExpertFinish color Garden Sage





SHOW YOUR TRUE COLORS

For even more aesthetic options, primed LP SmartSide products serve as a great option. These products arrive ready to be painted any color so you and your clients can create the look you want. They're also backed by the durability you expect from engineered wood technology. All LP SmartSide products are available in the primed option.



LAP SIDING

Easier-to-maintain traditional siding, available in cedar texture



PANEL & VERTICAL SIDING

Siding that can be used to create the classic board and batten style, among other looks



SOFFIT

Ventilation that completes a clean exterior look and serves as a finishing touch



SHAKES

Accent piece with staggered or straight edges and shiplap ends for a detailed finish



TRIM & FASCIA

Details to add interest and curb appeal to any home's look, available in brushed smooth and cedar texture



ACCESSORIES

J-Blocks and Mini-Splits offer efficient ways to complete your installation with style





A FRESH START DESIGNED TO LAST

NEW HOME

Every homeowner wants a custom look that they can take pride in. They want a style that helps differentiate their new home from the one next door. LP® SmartSide® products give builders and architects the ability to design a signature look with a wow-factor that leaves a lasting impression.

POPULAR CHOICES FOR NEW HOMES:

- LP_® SmartSide_® Lap Siding
- LP_® SmartSide_® Cedar Texture Shakes
- LP_® SmartSide_® Trim & Fascia
- LP_® SmartSide_® Soffit
- LP_® SmartSide_® Vertical Siding
- LP® SmartSide® Panel Siding (for Board & Batten Style)
- LP_® SmartSide_® ExpertFinish_® Trim & Siding


OUT WITH THE OLD, IN WITH THE NEW

REMODEL

LP® SmartSide® products can help give any home new life with their beautiful selection of styles and profiles. They easily transform homes from boring to bold with brushed smooth and cedar texture options. When you start using LP SmartSide products, it's easy to see why homeowners love them and professional remodelers love to work with them.

POPULAR CHOICES FOR REMODELING:

- LP_® SmartSide_® Lap Siding
- LP_® SmartSide_® Cedar Texture Shakes
- LP® SmartSide® Trim & Fascia
- LP_® SmartSide_® Soffit
- LP_® SmartSide_® Panel Siding (for Board & Batten Style)
- LP_® SmartSide_® ExpertFinish_® Trim & Siding



DURABILITY FOR THE GREAT OUTDOORS

OUTDOOR BUILDING SOLUTIONS®

LP® Outdoor Building Solutions® engineered wood products feature innovations that help offer more value to customers. With innovations like SilverTech® panel for a brighter and cooler interior and SmartFinish® overlay for a tough, attractive appearance, LP Outdoor Building Solutions products give you quality you can see inside and out.

POPULAR CHOICES FOR OUTDOOR BUILDINGS:

- LP® SmartSide® Panel Siding
- LP_® SmartSide_® Panel Siding with SilverTech
- LP_® SmartSide_® Panel Siding with SmartFinish
- LP_® SmartSide_® Lap Siding
- LP® ProStruct® Flooring with SmartFinish
- LP_® ProStruct_® Roof with SilverTech
- LP_® SmartSide_® Trim & Fascia
- LP_® SmartSide_® ExpertFinish_® Trim & Siding

MORE OPTIONS FOR MORE FAMILIES

MULTIFAMILY

Designed to combine style and durability, LP_® SmartSide[®] Trim & Siding products are a great fit for multifamily developments. They are compatible with a wide range of styles, claddings and colors, offering flexibility and versatility in both function and design. Because engineered wood is built to last, multifamily structures using LP SmartSide products stand the test of time.

POPULAR CHOICES FOR MULTIFAMILY:

- LP_® SmartSide_® Panel Siding
- LP_® SmartSide_® Lap Siding
- LP_® SmartSide_® Vertical Siding
- LP_® SmartSide_® Trim & Fascia
- LP_® SmartSide_® Soffit
- LP_® SmartSide_® ExpertFinish_® Trim & Siding

LPCorp.com/Shed LPCorp.com/Multifamily

31 32

TAKE A LOOK INSIDE LP. SmartSide. products come in different lengths, widths, textures, ExpertFinish colors and profiles, so there's an ideal product for virtually any set of needs. Each option has its own unique combination of advantages. Find all those details and product specifications here, including ExpertFinish color availability for each product. Featured: LP SmartSide Vented Soffit

Specifications: LP_® SmartSide_® ExpertFinish_® Trim & Siding

EXPERTFINISH °			=	=									rner		
COLOR	38 Series 6″or 8″Lap	190 Series 3"Trim	440 Series 4", 6", 8", 10" or 12" Trim	540 Series 4", 6", 8", 10" or 12" Trim	38 Series 12" or 16" Closed Soffit	38 Series 12" or 16"Vented Soffit	38 Series Soffit 24' Closed Soffit	38 Series Soffit 24' Vented Soffit	38 Series 12"x 48" Shakes	38 Series 16"x 16 'Vertical Siding	38 Series 4'x 8'Panel	38 Series 4´x 10´Panel	540 Series 4"or 6"x 10 'Outside Corner	540 Series 7.25" x 7.25"J-Block	540 Series 7.25″x 6.75″Mini Split
Snowscape White	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Sand Dunes	•	•	•	•			•	•	•	• •	•			•	•
Desert Stone	• •		•	•					•	• •	• •			•	•
Quarry Gray	•	•	•	•			•	•	•	•	•	•	•	•	•
Prairie Clay	•	•	•	•					•	•	•	•	•	•	•
Terra Brown	•	•	•	•					•	•	•	•	•	•	•
Harvest Honey	•	•	•	•					•	•	•	•	•	•	•
Timberland Suede	•	•	•	•					•	•	•	•	•	•	•
Garden Sage	•	•	•	•					•	•	•	•	•	•	•
Redwood Red	•	• •		•					•	•	•	•	• •)	•
Tundra Gray	•	•	•	•					•	•	•	•	•	•	•
Summit Blue	•	•	•	•					•	•	•	•	•	•	•
Rapids Blue	•	•	•	•					•	•	•	•	•	•	•
Cavern Steel	•	•	•	•					•	•	•	•	•	•	•
Midnight Shadow	•	•	•	•					•	•	•	•	•	•	•
Abyss Black	•	•	•	•			•	•	•	• •	• •	• •			


All colors shown are representative and may not be an exact match.

• Available in Cedar Texture Available in Brushed Smooth

SNOWSCAPE WHITE CEDAR TEXTURE

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
000	16 ft. (192 in.)(4.9 m)	5 in. (148 mm)	0 in. (9 mm)	41715	1 PSF
38 Series Lap	16 ft. (192 in.)(4.9 m)	7 in. (199 mm)	0 in. (9 mm)	42271	1 PSF
190 Series Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	42311	2 PSF
	16 ft. (192 in.)(4.9 m)	2 in. (64 mm)	0 in. (17.1 mm)	42324	2 PSF
	16 ft. (192 in.)(4.9 m)	5 in. (140 mm) 7 in. (183 mm)	0 in. (17.1 mm) 0 in. (17.1 mm)	42328	2 PSF
440 Series Trim	16 ft. (192 in.)(4.9 m)	9 in. (234 mm) 1 in. (285 mm)	0 in. (17.1 mm) 0 in. (17.1 mm)	41747	2 PSF
	16 ft. (192 in.)(4.9 m)			42332	2 PSF
	16 ft. (192 in.)(4.9 m)			42333	2 PSF
	16 ft. (192 in.)(4.9 m)	3 in. (89 mm)	0 in. (24.6 mm)	42312	3 PSF
	16 ft. (192 in.)(4.9 m)	5 in. (140 mm) 7 in. (183 mm)	0 in. (24.6 mm) 0 in. (24.6 mm)	42316	3 PSF
540 Series Trim	16 ft. (192 in.)(4.9 m)	9 in. (234 mm) 1 in. (285 mm)	0 in. (24.6 mm) 0 in. (24.6 mm)	42320	3 PSF
	16 ft. (192 in.)(4.9 m)			41731	3 PSF
	16 ft. (192 in.)(4.9 m)			41732	3 PSF
38 Series 12" x 16' Closed Soffit	16 ft. (192 in.)(4.9 m)	11.94 in. (303 mm)	0.354 in. (9 mm)	42284	-
38 Series 12" x 16' Vented Soffit	16 ft. (192 in.)(4.9 m)	11.94 in. (303 mm)	0.354 in. (9 mm)	42280	-
38 Series 16" x 16' Closed Soffit	16 ft. (192 in.)(4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	41738	-
38 Series 16"x 16'Vented Soffit	16 ft. (192 in.)(4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	41740	-
38 Series 24"x 16' Closed Soffit	16 ft. (192 in.)(4.9 m)	288 in. (7.3152 m)	0.354 in. (9 mm)	45496	-
38 Series 24" x 16' Vented Soffit	16 ft. (192 in.)(4.9 m)	288 in. (7.3152 m)	0.354 in. (9 mm)	45492	-
38 Series Shakes	4 ft. (48.63 in.)(1.2 m)	11.625 in. (29.5 cm)	0.315 in. (8 mm)	42093	2 PSF
38 Series Vertical Siding	16 ft. (192 in.)(4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm) 41	730 1.5 PSF 0.354	in. (9 mm)
38 Series 4´x 8´No Groove Square Edge Panel	8 ft. (96 in.)(2.4 m)	48.56 in. (1 234 mm)	41741 2 PSF 0.354 i	n. (9 mm) 41714 2	PSF
38 Series 4'x 10'Panel	10 ft. (120 in.)(3 m)	48.56 in. (1 234 mm)			
EAO Cavina Outsida Cavaav	10 ft. (192 in.)(4.9 m)	3 in. (92 mm)	0 in. (24.6 mm)	42005	-
540 Series Outside Corner	10 ft. (192 in.)(4.9 m)	5 in. (143 mm)	0 in. (24.6 mm)	42006	-
7.25″ x 7.25″ J-Block	7.21 in. (183 mm)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	43399	-
7.25″x 6.75″Mini Split	7.21 in. (183 mm)	6.75 in. (171 mm)	0.970 in. (24.6 mm)	43416	-
Touch-Up Kits	-	-	-	42043	-

38 SERIES EXPERTFINISH LAP



^{*} Same specs for all 16 colors on pages 37-68.

SNOWSCAPE WHITE BRUSHED SMOOTH

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
	16 ft. (192 in.)(4.9 m)	5 in. (148 mm)	0 in. (9 mm)	45683	1 PSF
38 Series Lap	16 ft. (192 in.)(4.9 m)	7 in. (199 mm)	0 in. (9 mm)	45667	1 PSF
190 Series Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	457 79	2 PSF
	16 ft. (192 in.)(4.9 m)	2 in. (64 mm)	0 in. (17.1 mm)	45795	2 PSF
	16 ft. (192 in.)(4.9 m)	5 in. (140 mm) 7 in. (183 mm)	0 in. (17.1 mm) 0 in. (17.1 mm)	45811	2 PSF
440 Series Trim	16 ft. (192 in.)(4.9 m)	9 in. (234 mm) 1 in. (285 mm)	0 in. (17.1 mm) 0 in. (17.1 mm)	45827	2 PSF
	16 ft. (192 in.)(4.9 m)			45843	2 PSF
	16 ft. (192 in.)(4.9 m)			45859	2 PSF
	16 ft. (192 in.)(4.9 m)	3 in. (89 mm)	0 in. (24.6 mm)	45699	3 PSF
540 Series Trim	16 ft. (192 in.)(4.9 m)	5 in. (140 mm) 7 in. (183 mm)	0 in. (24.6 mm) 0 in. (24.6 mm)	45715	3 PSF
	16 ft. (192 in.)(4.9 m)	9 in. (234 mm) 1 in. (285 mm)	0 in. (24.6 mm) 0 in. (24.6 mm)	45731	3 PSF
	16 ft. (192 in.)(4.9 m)			45747	3 PSF
	16 ft. (192 in.)(4.9 m)			45763	3 PSF
38 Series 12"x 16' Closed Soffit	16 ft. (192 in.)(4.9 m)	11.94 in. (303 mm)	0.354 in. (9 mm)	45864	-
38 Series 16"x 16'Closed Soffit	16 ft. (192 in.)(4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	45865	-
38 Series 24"x 16' Closed Soffit	16 ft. (192 in.)(4.9 m)	288 in. (7.3152 m)	0.354 in. (9 mm)	45901	-
38 Series Vertical Siding	16 ft. (192 in.)(4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	45877	1.5 PSF
38 Series 4´x 8´No Groove Square Edge Panel	8 ft. (96 in.)(2.4 m)	48.56 in. (1 234 mm)	0.354 in. (9 mm)	45893	2 PSF
7.25″x 7.25″ J-Block	7.21 in. (183 mm)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	45925	-
7.25" x 6.75" Mini Split	7.21 in. (183 mm)	6.75 in. (171 mm)	0.970 in. (24.6 mm)	45953	-
Touch-Up Kits	-	-	-	42043	-

^{**}Lap joint profile is exclusive to LP® SmartSide® ExpertFinish® Lap Siding. Third party prefinished siding will not include this feature.

SAND DUNES CEDAR TEXTURE

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	41841	1.5 PSF
38 Series Lap	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	42272	1.5 PSF
190 Series Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	41805	2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	42325	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	42329	2 PSF
440 Series Trim	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	41818	2 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm)	0.675 in. (17.1 mm)	41784	2 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm)	0.675 in. (17.1 mm)	41787	2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.970 in. (24.6 mm)	42313	3 PSF
540 Series Trim	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.970 in. (24.6 mm)	42317	3 PSF 3 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	42321 41911	3 PSF 3 PSF 3 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm)	0.970 in. (24.6 mm)	41914	0101
	16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm)	0.970 in. (24.6 mm)		
38 Series 24" x 16' Closed Soffit	16 ft. (192 in.)(4.9 m)	288 in. (7.3152 m)	0.354 in. (9 mm)	45497	-
38 Series 24" x 16 'Vented Soffit	16 ft. (192 in.)(4.9 m)	288 in. (7.3152 m)	0.354 in. (9 mm)	45493	-
38 Series Shakes	4 ft. (48.63 in.)(1.2 m)	11.625 in. (29.5 cm)	0.315 in. (8 mm)	42094	2 PSF
38 Series 4' x 8' No Groove Square Edge Panel	8 ft. (96 in.)(2.4 m)	48.56 in. (1 234 mm)	0.354 in. (9 mm)	41824	2 PSF
38 Series 4' x 10' Panel	10 ft. (120 in.)(3 m)	48.56 in. (1 234 mm)	0.354 in. (9 mm)	41827	2 PSF
38 Series Vertical Siding	16 ft. (192 in.)(4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	41820	1.5 PSF
38 Series 4' x 8' Soffit	8 ft. (96 in.)(2.4 m)	47.88 in. (1 216 mm)	0.354 in. (9 mm)	41952	-
F40 Carriag Outside Corres	10 ft. (192 in.)(4.9 m)	3.625 in. (92 mm)	0.970 in. (24.6 mm)	42014	-
540 Series Outside Corner	10 ft. (192 in.)(4.9 m)	5.625 in. (143 mm)	0.970 in. (24.6 mm)	42018	-
7.25" x 7.25" J-Block	7.21 in. (183 mm)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	43401	-
7.25" x 6.75"Mini Split	7.21 in. (183 mm)	6.75 in. (171 mm) 0.9	70 in. (24.6 mm)	43417 42055	
Touch Up Kits	-			42000	

SAND DUNES BRUSHED SMOOTH

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
20.0	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	45682	1.5 PSF
38 Series Lap	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	45666	1.5 PSF
190 Series Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	45778	2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	45794	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	45810	2 PSF
440 Series Trim	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	45826	2 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm)	0.675 in. (17.1 mm)	45842	2 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm)	0.675 in. (17.1 mm)	45858	2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.970 in. (24.6 mm)	45698	3 PSF
540 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm) 7.21 in. (183 mm) 9.21 in. (234 mm) 11.21 in. (285 mm)	0.970 in. (24.6 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	45714 45730 45746 45762	3 PSF 3 PSF 3 PSF 3 PSF
38 Series 24"x 16' Closed Soffit	16 ft. (192 in.)(4.9 m)	288 in. (7.3152 m)	0.354 in. (9 mm)	45900	-
38 Series 4' x 8' No Groove Square Edge Panel	8 ft. (96 in.)(2.4 m)	48.56 in. (1 234 mm)	0.354 in. (9 mm)	45892	2 PSF
38 Series Vertical Siding	16 ft. (192 in.)(4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	45876	1.5 PSF
7.25" x 7.25" J-Block	7.21 in. (183 mm)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	45923	-
7.25" x 6.75"Mini Split	7.21 in. (183 mm)	6.75 in. (171 mm)	0.970 in. (24.6 mm)	45951	-
Touch Up Kits	-	-	-	42055	-

DESERT STONE CEDAR TEXTURE

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
00.00-1	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	41842	1.5 PSF
38 Series Lap	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	42274	1.5 PSF
190 Series Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	41796	2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	43168	2 PSF 2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	43169	2 PSF 2 PSF
440 Series Trim	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	43159	2 PSF 3 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm)	0.675 in. (17.1 mm)	43170	3 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm)	0.675 in. (17.1 mm)	43171	
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.970 in. (24.6 mm)	43165	
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.970 in. (24.6 mm)	43166	
540 Series Trim	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	43167 43153	3 PSF 3 PSF 3
	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 8 ft. (96 in.)(2.4 m)	9.21 in. (234 mm) 11.21 in. (285 mm) 15.94 in. (405 mm) 48.56 in. (1 234 mm)	0.970 in. (24.6 mm) 0.970 in. (24.6 mm) 0.354 in. (9 mm) 0.354 in. (9 mm)	43154 43152 43351 43151	PSF 1.5 PSF 2 PSF 2 PSF
38 Series Vertical Siding 38 Series 4'x 8'No	10 ft. (120 in.)(3 m)	48.56 in. (1 234 mm)	0.354 in. (9 mm)	10101	1 01
Groove Square Edge Panel 38 Series 4'x					
10´Panel					
38 Series Shakes	4 ft. (48.63 in.)(1.2 m)	11.625 in. (29.5 cm)	0.315 in. (8 mm)	43355	2 PSF
540 Series Outside Corner	10 ft. (192 in.)(4.9 m) 10 ft. (192 in.)(4.9 m) 7.21 in. (183 mm) 7.21 in. (183 mm)	3.625 in. (92 mm) 5.625 in. (143 mm) 7.21 in. (183 mm)	0.970 in. (24.6 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	43353 43354 43402 43418	-
7.25" x 7.25" J-Block	,				
7.25″ x 6.75″ Mini Split		6.75 in. (171 mm)	0.970 in. (24.6 mm)		-
Touch-Up Kits	-	-	-	42049	-

DESERT STONE BRUSHED SMOOTH

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
20 Carina Lan	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm) 3.50 in. (89 mm)	0.354 in. (9 mm)	45674	1.5 PSF
38 Series Lap	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	5.50 in. (85 mm) 7.50 in. (199 mm) 7.21 in. (183 mm)	0.354 in. (9 mm)	45658 45786	1.5 PSF 2 PSF 2
190 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	9,25 dr _m (7 <u>84 mm)</u> 11.21 in. (285 mm)	0.578 in. (14.7 mm)	45700 45800 45818	PSF 2
440 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm) 5.50 in. (140 mm)	0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	45834 45850 45690 45706 45722 45738	PSF 2 PSF 3 PSF 3 PSF 3 PSF 3 PSF
540 Series Trim 38 Series Vertical Siding 38 Series 4'x 8'No Groove Square Edge Panel 7.25" x 7.25" J-Block	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm) 9.21 in. (234 mm)	0.970 in. (24.6 mm)		
	16 ft. (192 in.)(4.9 m) 8 ft. (96 in.)(2.4 m) 7.21 in. (183 mm)	11.21 in. (285 mm)	0.970 in. (24.6 mm)	45754	3 PSF
		15.94 in. (405 mm)	0.354 in. (9 mm)	45868	1.5 PSF
		48.56 in. (1 234 mm)	0.354 in. (9 mm)	45884	2 PSF
		7.21 in. (183 mm)	0.970 in. (24.6 mm)	45907	-
7.25″x 6.75″Mini Split	7.21 in. (183 mm)	6.75 in. (171 mm)	0.970 in. (24.6 mm)	45938	-
Touch-Up Kits	-	-	-	42049	-

Specifications: LP_® SmartSide_® ExpertFinish_® Trim & Siding

QUARRY GRAY CEDAR TEXTURE

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	41837	1.5 PSF
38 Series Lap	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	42288	1.5 PSF
190 Series Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	41798	2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	42326 2 PSF 41816 2 PSF	
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	41786 2 PSF 42318 3 PSF 4	42314 3 PSF
440 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm) 9.21 in. (234 mm) 11.21 in. (285 mm) 3.50 in. (89 mm) 5.50 in. (140 mm) 7.21 in. (183 mm) 9.21 in.	0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	41910 3 PSF 45495 4549 PSF 41822 2	41913 3 PSF 1 41819 1.5
540 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	(234 mm) 11.21 in. (285 mm) 288 in. (7.3152 m) 288 in. (7.3152 m) 15.94 in.	0.970 in. (24.6 mm) 0.970 in. (24.6 mm) 0.354 in. (9 mm) 0.354 in. (9 mm)		
	16 ft. (192 in.)(4.9 m) 8 ft. (96 in.)(2.4 m)	(405 mm) 48.56 in. (1 234 mm)	0.354 in. (9 mm) 0.354 in. (9 mm)		
38 Series 24" x 16' Closed Soffit 38 Series 24" x					
16´Vented Soffit 38 Series Vertical Siding 38					
Series 4'x 8'No Groove Square Edge Panel					
38 Series 4´x 10´Panel 10 ft. (120 in.)(3	m) 38 Series Shakes 4 ft.	48.56 in. (1 234 mm) 11.625 in. (29.5 cm)	0.354 in. (9 mm) 0.315 in. (8 mm)	41825 42096	2 PSF 2 PSF
(48.63 in.)(1.2 m) 10 ft. (192 in.)(4.9 m)		3.625 in. (92 mm)	0.970 in. (24.6 mm)	42013	-
540 Series Outside Corner					
2.0000.00.00000000000000000000000000000	10 ft. (192 in.)(4.9 m)	5.625 in. (143 mm)	0.970 in. (24.6 mm)	42017	-
7.25" x 7.25" J-Block	7.21 in. (183 mm)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	43412	-
7.25″x 6.75″Mini Split	7.21 in. (183 mm)	6.75 in. (171 mm)	0.970 in. (24.6 mm)	43428	-
Touch-Up Kits	-	-	-	42052	-

QUARRY GRAY BRUSHED SMOOTH

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
OO Oorland on	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	45679	1.5 PSF
38 Series Lap	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	45663	1.5 PSF
190 Series Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	457 75	2 PSF
440 Series Trim 38 Series 24" x 16"Closed Soffit 7.25" x 7.25"J-Block	16 ft. (192 in.)(4.9 m) 7.21 in. (183 mm)	3.50 in. (89 mm) 5.50 in. (140 mm) 7.21 in. (183 mm) 9.21 in. (285 mm) 3.50 in. (89 mm) 5.50 in. (140 mm) 7.21 in. (183 mm) 9.21 in. (285 mm) 11.21 in. (285 mm) 288 in. (7.3152 m) 7.21 in. (183 mm) 6.75 in. (171 mm)	0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.970 in. (24.6 mm)	45791 2 PSF PSF 45823 2 2 PSF 45855 : 45695 3 PSF PSF 45743 3 3 PSF 45917 :	PSF 45839 2 PSF 45727 3 PSF 45759
540 Series Trim			0.354 in. (9 mm)	45899	
38 Series Vertical Siding 38 Series 4'x 8'No Groove Square Edge Panel	16 ft. (192 in.)(4.9 m) 8 ft. (96 in.)(2.4 m)	15.94 in. (405 mm) 48.56 in. (1 234 mm)	0.354 in. (9 mm) 0.354 in. (9 mm)	45961 45889	1.5 PSF 2 PSF
			0.970 in. (24.6 mm)		
7.25″x 6.75″Mini Split Touch-Up Kits	7.21 in. (183 mm)		0.970 in. (24.6 mm)	45974	-
Touch op rits		-	-	42052	-

PRAIRIE CLAY CEDAR TEXTURE

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT				
	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	41834	1.5 PSF				
	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	42278	1.5 PSF				
	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	41800	2 PSF				
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	43210	2 PSF				
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	43211	2 PSF 2 PSF				
	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	43201	2 PSF 2 PSF				
	16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm)	0.675 in. (17.1 mm)	43212	3 PSF 3 PSF				
	16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm)	0.675 in. (17.1 mm)	43213					
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.970 in. (24.6 mm)	43207					
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.970 in. (24.6 mm)	43208					
	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	43209	3 PSF				
	16 ft. (192 in.)(4.9 m) 9.21 in. (234 mm) 0.970 in. (24.6 mm) 43195 3 PSF 16 ft. (192 in.)(4.9 m) 11.21 in. (285								
	mm) 0.970 in. (24.6 m	m) 43196 3 PSF							
38 Series V@& Self& d Mg/16.ft.{192.jr1)(#9/16)2b)	(405 mm) 0 (405 mm) 0	.354in. (90vm):46194:1156	28Fnel 8 ft. (96 in.)(2.4 m)	48.56 in. (1 234 mm	ı) 0.354 in. (9 mm) 4				
in.)(3 m) 48.56 in. (1 234 mm) 0.354 in. (9 mm) 4319	3 2 PSF	7.21 in. (183 mm) 7.21 in. (183 mm)						
38 Series Shakes 4 ft. (48.63 in.)(1.2	m) 10 ft. (192 in.)(4.9 m)	11.625 in. (29.5 cm) 3.625 in. (92 mm)	0.315 in. (8 mm) 0.970 in. (24.6 mm)	43365 43363	2 PSF				
10 ft. (192 in.)(4.9 m) 540 Series Outside Corner		5.625 in. (143 mm)	0.970 in. (24.6 mm)	43364					
540 Series Outside Corner									
	7.21 in. (183 mm)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	43404	-				
	7.21 in. (183 mm)	6.75 in. (171 mm)	0.970 in. (24.6 mm)	43420	-				
	-	-	-	42051	-				

PRAIRIE CLAY BRUSHED SMOOTH

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm) 456	378 0.354 in.	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	(9 mm) 45662 0.578	in. (14.7 mm)	1.5 PSF
	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	45774		2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	45790	2 PSF
	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm) 7.21 in. (183 mm) 9.21 in. (234 mm) 11.21 in. (285 mm) 3.50 in. (89 mm) 5.50 in. (140 mm)	0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	45806 45822 45838 45854 45694 45710	2 PSF 2 PSF 2 PSF 2 PSF 3 PSF 3 PSF
	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	45726	3 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm) 11.21 in. (285 mm)	0.970 in. (24.6 mm)	45742	3 PSF
		11.21 11. (200 11111)	0.970 in. (24.6 mm)	45758	3 PSF
lo Groove Square Edge Panel 8 ft. (96 in.)(2.4 m) 48.56	n. (1 234 mm) 38 Series 4´x 10	0 Panel 10 ft. (120	0.354 in. (9 mm)	45872	1.5 PSF
			0.354 in. (9 mm)	45888	2 PSF
			0.970 in. (24.6 mm)	45915	-
7.25″x 6.75″ Mini Split Touch Up Kits	7.21 in. (183 mm)	6.75 in. (171 mm)	0.970 in. (24.6 mm)	45945	-
			-	42051	-

TERRA BROWN CEDAR TEXTURE

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
200 S. I.	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	41845	1.5 PSF
38 Series Lap	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	42277	1.5 PSF
190 Series Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	41808	2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	41812	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	41813	2 PSF 2 PSF
440 Series Trim	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	41817	2 PSF 2 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm)	0.675 in. (17.1 mm)	41785	3 PSF 3 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm)	0.675 in. (17.1 mm)	41829	
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.970 in. (24.6 mm)	41920	
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm) 7.21 in. (183 mm) 9.21	0.970 in. (24.6 mm)	41904	
540 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 8 ft. (96 in.)(2.4 m)	in. (234 mm) 11.21 in. (285 mm) 15.94 in. (405 mm) 48.56 in. (1 234 mm)	0.970 in. (24.6 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm) 0.354 in. (9 mm)	41907 41912 41915 41826 41823	3 PSF 3 PSF 3 PSF 1.5 PSF 2 PSF
38 Series Vertical Siding 38 Series 4'x 8'No					
Groove Square Edge Panel					
38 Series 4'x 10'Panel 10 ft. (120 in.)(3 r	m) 38 Series Shakes 4 ft.	48.56 in. (1 234 mm) 11.625 in. (29.5 cm)	0.354 in. (9 mm) 0.354 in. (8 mm)	41826 42095	2 PSF 2 PSF
(48.63 in.)(1.2 m)		11.025 III. (29.5 CIII)	0.554 III. (6 IIIIII)	42015	-
540 Series Outside Corner	10 ft. (192 in.)(4.9 m)	3.625 in. (92 mm)	0.970 in. (24.6 mm)		
540 Series Outside Corner	10 ft. (192 in.)(4.9 m)	5.625 in. (143 mm)	0.970 in. (24.6 mm)	42019	-
7.25" x 7.25" J-Block	7.21 in. (183 mm)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	43403	-
7.25″x 6.75″Mini Split	7.21 in. (183 mm)	6.75 in. (17.1 mm)	0.970 in. (24.6 mm)	43432	-
Touch-Up Kits	-	-	-	42046	-

TERRA BROWN BRUSHED SMOOTH

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
200	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm) 456	85 0.354 in.	1.5 PSF
38 Series Lap	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	(9 mm) 45669 0.578	in. (14.7 mm)	1.5 PSF
190 Series Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	45781		2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	45797	2 PSF
440 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm) 7.21 in. (183 mm) 9.21 in. (234 mm) 11.21 in. (285 mm) 3.50 in. (89 mm) 5.50 in. (140 mm)	0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	45813 45829 45845 45861 45701 45717	2 PSF 2 PSF 2 PSF 2 PSF 3 PSF 3 PSF
540 Series Trim 38 Series Vertical Siding 38 Series 4´x 8´No Groove Square Edge Panel	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm) 9.21 in. (234 mm) 11.21 in. (285 mm) 15.94 in. (405 mm) 48.56 in. (1	0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	45733 45749	3 PSF 3 PSF
	8 ft. (96 in.)(2.4 m)	234 mm)	0.970 in. (24.6 mm)	45765	3 PSF
			0.354 in. (9 mm)	45964	1.5 PSF
			0.354 in. (9 mm)	45968	2 PSF
7.25″ x 7.25″ J-Block 7.25″ x 6.75″ Mini Split	7.21 in. (183 mm) 7.21 in. (183 mm)	7.21 in. (183 mm) 6.75 in. (17.1 mm)	0.970 in. (24.6 mm)	45929	-
7.20 X 0.70 Willi Opit	7.21 11. (100 11111)	0.70 11. (17.111111)	0.970 in. (24.6 mm)	45980	-
Touch-Up Kits	-	-	-	42046	-

HARVEST HONEY CEDAR TEXTURE

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
38 Series Lap	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm) 7.84 in. (199 mm)	0.354 in. (9 mm)	45327 45284	1.5 PSF
 190 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm) 3.50 in. (89 mm) 5.50 in. (140 mm) 7.21 in. (183 mm)	0.354 in. (9 mm) 0.578 in. (14.7 mm) 0.675 in. (17.1 mm)	45530	1.5 PSF 2 PSF
	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm) 11.21 in. (285 mm)	0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.675 in. (17.1 mm)	45351	2 PSF 2 PSF
	16 ft. (192 in.)(4.9 m)		0.675 in. (17.1 mm)	45354	2 PSF 2 PSF
440 Series Trim				45357	2 PSF
				45360	
				45363	
	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm) 5.50 in. (140 mm)	0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	45336 45339	3 PSF 3 PSF
	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	45342 45345	3 PSF
540 Series Trim					
		9.21 in. (234 mm)	0.970 in. (24.6 mm)		3 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm)	0.970 in. (24.6 mm)	45348	3 PSF
38 Series Vertical Siding	16 ft. (192 in.)(4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	45381	1.5 PSF
38 Series 4' x 8' No Groove Square Edge Panel	8 ft. (96 in.)(2.4 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	45384	2 PSF
38 Series 4'x 10'Panel	10 ft. (120 in.)(3 m)	48.56 in. (1 234 mm)	0.354 in. (9 mm)	45387	2 PSF
38 Series Shakes	4 ft. (48.63 in.)(1.2 m)	48.56 in. (1 234 mm)	0.354 in. (9 mm)	45396	2 PSF
540 Series Outside Corner	10 ft. (192 in.)(4.9 m) 3.625 in. (92 mm) 10 ft. (192 in.)(4.9 m) 5.625 in. (143 mm) 7.21 in. (183 mm) 7.21 in. (183 mm) 7.21 in. (183 mm) 6.75 in. (171 mm)		0.970 in. (24.6 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	45390 45393 43404 43420	-
7.25″ x 7.25″ J-Block	(,			42051	
7.25″x 6.75″Mini Split			0.970 in. (24.6 mm)		
Touch-Up Kits	-	-	-		

HARVEST HONEY BRUSHED SMOOTH

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
00 00 10 100	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm) 7.84 in. (199 mm)	0.354 in. (9 mm)	45676	1.5 PSF
38 Series Lap	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.354 in. (9 mm)	45660	1.5 PSF
190 Series Trim	1011. (192 1.)(4.9 1)		0.578 in. (14.7 mm)	45772	2 PSF
440 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm) 5.50 in. (140 mm) 7.21 in. (183 mm) 9.21 in. (234 mm) 11.21 in. (285 mm)	0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.675 in. (17.1 mm)	45788 45804 45820 45836 45852	2 PSF 2 PSF 2 PSF 2 PSF 2 PSF
540 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm) 5.50 in. (140 mm) 7.21 in. (183 mm) 9.21 in. (234 mm)	0.970 in. (24.6 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	45692 45708 45724 45740	3 PSF 3 PSF 3 PSF 3 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm)	0.970 in. (24.6 mm)	45756	3 PSF
38 Series Vertical Siding	16 ft. (192 in.)(4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	45870	1.5 PSF
38 Series 4´x 8´No Groove Square Edge Panel	8 ft. (96 in.)(2.4 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	45886	2 PSF
7.25~x 7.25~J-Block	7.21 in. (183 mm)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	45911	-
7.25″ x 6.75″ Mini Split	7.21 in. (183 mm)	6.75 in. (171 mm)	0.970 in. (24.6 mm)	45942	-
Touch-Up Kits	-	-	-	42051	-

TIMBERLAND SUEDE CEDAR TEXTURE

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
22.0	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	41843	1.5 PSF
38 Series Lap	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	42269 41806	1.5 PSF
190 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	43307 43308	2 PSF
440 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm) 5.50 in. (140 mm) 7.21 in. (183 mm) 9.21 in. (234 mm) 11.21 in. (285 mm) 3.50 in. (89 mm)	0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.970 in. (24.6 mm)	43298 43309 43310 43304	2 PSF 2 PSF 2 PSF 2 PSF 2 PSF 2 PSF 3 PSF
540 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 8 ft. (96 in.)(2.4 m) 10 ft. (120 in.)(3 m)	5.50 in. (140 mm) 7.21 in. (183 mm) 9.21 in. (234 mm) 11.21 in. (285 mm) 15.94 in. (405 mm) 48.56 in. (1 234 mm) 48.56 in. (1 234 mm)	0.970 in. (24.6 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm) 0.354 in. (9 mm) 0.354 in. (9 mm)	43305 43306 43292 43293 43291 43382 43290	3 PSF 3 PSF 3 PSF 3 PSF 1.5 PSF 2 PSF 2 PSF 2
38 Series Vertical Siding 38 Series 4´x 8´No					
Groove Square Edge Panel 38 Series 4´x					
10´Panel 38 Series Shakes					
	4 ft. (48.63 in.)(1.2 m)	11.625 in. (29.5 cm) 3.625 in. (92 mm)	0.354 in. (9 mm) 0.970 in. (24.6 mm)	43386 43384	2 PSF
F40 Sarias Outside Commun	10 ft. (192 in.)(4.9 m)	0.020 III. (02 IIIIII)	0.070 III. (24.0 IIIIII)	40004	
540 Series Outside Corner	10 ft. (192 in.)(4.9 m) 7.21 in. (183 mm) 7.21	5.625 in. (143 mm) 7.21 in. (183 mm)	0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	43385 43405	
7.25" x 7.25" J-Block	in. (183 mm)				
7.25″ x 6.75″ Mini Split		6.75 in. (171 mm) 0.9	70 in. (24.6 mm)	43421 42058	-
Touch-Up Kits	-			.2000	-

TIMBERLAND SUEDE BRUSHED SMOOTH

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
00.00	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	45686	1.5 PSF
38 Series Lap	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	45670	1.5 PSF
190 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm) 3.50 in. (89 mm)	0.578 in. (14.7 mm)	45782	2 PSF
	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm) 7.21 in. (183 mm)	0.675 in. (17.1 mm)	45798	2 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm) 3.50 in. (89 mm)	0.675 in. (17.1 mm)	45814	2 PSF
440 Series Trim		· · ·	0.675 in. (17.1 mm)	45830	2 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm)	0.675 in. (17.1 mm)	45846	2 PSF
			0.675 in. (17.1 mm)	45862	2 PSF
			0.970 in. (24.6 mm)	45702	3 PSF
	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm) 7.21 in. (183 mm)	0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	45718	3 PSF
540 Series Trim 38 Series Vertical Siding 38 Series 4´x 8´No Groove Square Edge Panel	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm) 6.75 in. (171 mm)	0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	45734 45750	3 PSF 3 PSF
7.25" x 7.25" J-Block	16 ft. (192 in.)(4.9 m) 8 ft. (96 in.)(2.4 m)	,	,	40700	0101
	7.21 in. (183 mm) 7.21 in. (183 mm)	11.21 in. (285 mm)	0.970 in. (24.6 mm)	45766	3 PSF
		15.94 in. (405 mm)	0.354 in. (9 mm)	45880	1.5 PSF
		48.56 in. (1234 mm)	0.354 in. (9 mm)	45896	2 PSF
		7.21 in. (183 mm)	0.970 in. (24.6 mm)	45931	-
7.25″ x 6.75″ Mini Split				45957	-
Touch-Up Kits	-	-	-	42058	-

GARDEN SAGE CEDAR TEXTURE

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
22.2	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	45328	1.5 PSF
38 Series Lap	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	45325	1.5 PSF
190 Series Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	45331	2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	45352	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	45355	2 PSF
440 Series Trim	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	45358	2 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm)	0.675 in. (17.1 mm)	45361	2 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm)	0.675 in. (17.1 mm)	45364	2 PSF
	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm) 5.50 in. (140 mm)	0.970 in. (24.6 mm)	45337 45340	3 PSF
	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	45343 45346	3 PSF 3 PSF
540 Series Trim	,		0.070 m. (24.0 mm)	45349	0101
		9.21 in. (234 mm)	0.970 in. (24.6 mm)		3 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm)	0.970 in. (24.6 mm)		3 PSF
38 Series Vertical Siding	16 ft. (192 in.)(4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	45382	1.5 PSF
38 Series 4'x 8'No Groove Square Edge Panel	8 ft. (96 in.)(2.4 m)	48.56 in. (1 234 mm)	0.354 in. (9 mm)	45385	2 PSF
38 Series 4'x 10'Panel	10 ft. (120 in.)(3 m)	48.56 in. (1 234 mm)	0.354 in. (8 mm)	45387	2 PSF
38 Series Shakes	4 ft. (48.63 in.)(1.2 m)	11.625 in. (29.5 cm)	0.354 in. (8 mm)	45397	2 PSF
540 Series Outside Corner	10 ft. (192 in.)(4.9 m) 10 ft. (192 in.)(4.9 m)	3.625 in. (92 mm) 5.625 in. (143 mm)	0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	45391 45394	-
340 Series Outside Comei	7.21 in. (183 mm)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	43405	
7.25″ x 7.25″ J-Block					
7.25″ x 6.75″Mini Split	7.21 in. (183 mm)	6.75 in. (171 mm) 0.9	70 in. (24.6 mm)	43421 42058	
Touch-Up Kits	-			12000	

GARDEN SAGE BRUSHED SMOOTH

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
00 0 1 1 1 1 1	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	45675	1.5 PSF
38 Series Lap	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	45659	1.5 PSF
190 Series Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	457 71	2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	45787	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	45803	2 PSF
440 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm) 9.21 in. (234 mm) 11.21 in. (285 mm)	0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.675 in. (17.1 mm)	45819 45835 45851	2 PSF 2 PSF 2 PSF
	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm) 5.50 in. (140 mm)	0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	45691 45707	3 PSF
	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	45723 45739	3 PSF 3 PSF
540 Series Trim					3 PSF
		9.21 in. (234 mm)	0.970 in. (24.6 mm)		
	16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm)	0.970 in. (24.6 mm)	45755	3 PSF
38 Series Vertical Siding	16 ft. (192 in.)(4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	45869	1.5 PSF
38 Series 4'x 8'No Groove Square Edge Panel	8 ft. (96 in.)(2.4 m)	48.56 in. (1 234 mm)	0.354 in. (9 mm)	45885	2 PSF
7.25″x 7.25″ J-Block	7.21 in. (183 mm)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	45909	-
7.25″x 6.75″Mini Split	7.21 in. (183 mm)	6.75 in. (171 mm)	0.970 in. (24.6 mm)	45940	-
Touch-Up Kits	-	-	-	42058	-

REDWOOD RED CEDAR TEXTURE

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT	
16 ft. (192 in.)(4.9 m) 5.84 in. (148 mm) 0.354 in. (9 38 Series Lap	mm) 41840 1.5 PSF 16 ft. (19:	2 in.)(4.9 m) 7.84 in. (199 m	nm) 0.354 in. (9 mm) 42293 1.5 PSF	16	
50 Series Lap ft. (192 in.)(4.9 m) 2.50 in. (64 mm) 0.578 in. (14.7 r	nm) 41804 2 PSF 16 ft. (192 ir	n.)(4.9 m) 3.50 in. (89 mm)	0.675 in. (17.1 mm)	43248 2 PSF 16 ft. (192 i	n.)(4.9 m)	
5.50 in. (140 mm) 0.675 in. (17.1 mm) 43249 2 PSF	6 ft. (192 in.)(4.9 m) 7.21 in. (1) 16 ft. (192 in.)(4.9 r	m) 9.21 in. (234 mm) 0.6	75 in. (17.1	
	n. (17.1 mm) 16 ft. (192 in.)(4.9	m) 3.50 in. (89 mm) 0.970	in. (24.6 mm) 16 ft.	(192 in.)(4.9 m) 5.50 in. ((140 mm)	
0.970 in. (24.6 mm) 540 Series Trim 16 ft. (192 in.)(4	.9 m) 7.21 in. (183 mm) 0.970	in. (24.6 mm) 16 ft. (192 in.)	(4.9 m) 9.21 in. (234	mm) 0.970 in. (24.6 mm	n) 16 ft. (192	
in.)(4.9 m) 11.21 440 Series Trim70 in. (24.6 mm) 38	Series Vertical Siding 16 ft. (1	192 in.)(4.9 m) 15.94 in. (40	5 mm) 0.354 in. (9 r	nm) 4323 43.2 31 9 SF 38 S	eries 2 RSF 2 PSF	
8´No Groove Square Edge Panel 8 ft. (96 in.)(2.4 in	48.56 in. (1 234 mm) 0.354 in	ı. (9 mm) 43369 2 PSF	1	.0 ft. (12 04i82)(30 m) 48.5		
mm) 0.354 in. (9 mm) 43231 2 PSF				43251	3 PSF 3 PSF	
				43245	3 PSF 3 PSF	
				43246		
				43247		
				43233		
				43234		
	\				/	
38 Series Shakes 4 ft. (48.63 in.)(1.	m) 11.625 in. (29.5 cm) 0.354	4 in. (9 mm) 43373 2 PSF		7.21 in. (183 mm) 10 ft.	(192 in.)(4.9 m) 3.	625 in. (92 mm) 0.970 in. (24
540 Series Outside Corner						
7.25" x 7.25" J-Block 7.21 in. (183 mm) 7	21 in. (183 mm) 0.970 in. (24.6	6 mm) 43408 -7.25 "x 6.75"				
	7.21 in. (183 mm)	6.75 in. (17.1 mm) 0.970	0 in. (24.6 mm)	43424 42054		
Touch-Up Kits	-			42004		

REDWOOD RED BRUSHED SMOOTH

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
Series Vertical Sides Series Lap 38 Series)(4.9 m) 45665 1.5 PSF		(4.9 6)356 ftt. (992 in))(4.5 n) 7.2 0.354 in. (9 mm)		9 m) 1.5 PSF
		2.50 in. (64 mm)	0.578 in. (14.7 mm)	45777	2 PSF
		3.50 in. (89 mm)	0.675 in. (17.1 mm)	45793	2 PSF
		5.50 in. (140 mm)	0.675 in. (17.1 mm)	45809	2 PSF
440 Series Trim 540 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm) 9.21 in. (234 mm) 11.21 in. (285 mm) 3.50 in. (89 mm) 5.50 in. (140 mm) 7.21 in. (183 mm) 9.21 in. (234 mm) 11.21 in. (285 mm)	0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.970 in. (24.6 mm)	45825 45841 45857 45697 45713 45729 45745 45761	2 PSF 2 PSF 2 PSF 3 PSF 3 PSF 3 PSF 3 PSF 3 PSF
		15.94 in. (405 mm)	0.354 in. (9 mm)	45875	1.5 PSF
		48.56 in. (1 234 mm)	0.354 in. (9 mm)	45891	2 PSF
		7.21 in. (183 mm)	0.970 in. (24.6 mm)	45921	-
4		6.75 in. (17.1 mm)	0.970 in. (24.6 mm)	45949	-
			-	42054	-

TUNDRA GRAY CEDAR TEXTURE

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	41846	1.5 PSF
38 Series Lap	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	42300	1.5 PSF
190 Series Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	41809	2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	43326 43327	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	43319 43328	2 PSF
440 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm) 9.21 in. (234 mm) 11.21 in. (285 mm) 3.50 in. (89 mm) 5.50 in. (140 mm)	0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	43329 43323 43324	2 PSF 2 PSF 2 PSF 3 PSF 3 PSF
540 Series Trim	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	43325	3 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm)	0.970 in. (24.6 mm)	43313	3 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm)	0.970 in. (24.6 mm)	43314	3 PSF
38 Series Vertical Siding	16 ft. (192 in.)(4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	43312	1.5 PSF
38 Series 4´x 8´No Groove Square Edge Panel	8 ft. (96 in.)(2.4 m)	48.56 in. (1 234 mm)	0.354 in. (9 mm)	43387	2 PSF
38 Series 4´x 10´Panel	10 ft. (120 in.)(3 m)	48.56 in. (1 234 mm)	0.354 in. (9 mm)	43311	2 PSF
38 Series Shakes 4 ft. (48.63 in.)(1.2	m) 10 ft. (192 in.)(4.9 m)	11.625 in. (29.5 cm)	0.354 in. (9 mm) 0.970 in. (24.6 mm)	43389 43344	2 PSF
540 Series Outside Corner		3.625 in. (92 mm)	0.070 III. (24.0 IIIIII)	40044	
- 540 Series Outside Corner	10 ft. (192 in.)(4.9 m)	5.625 in. (143 mm)	0.970 in. (24.6 mm)	43345	-
7.25″ x 7.25″ J-Block	7.21 in. (183 mm) 7.21 in. (183 mm)	7.21 in. (183 mm) 6.75 in. (17.1 mm)	0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	43413 43429	
7.25″x 6.75″Mini Split	7.21 111. (100 111111)	0.70 111. (17.1 11111)	0.070 III. (24.0 HIIII)	70720	
Touch-Up Kits	-	-	-	42059	-

TUNDRA GRAY BRUSHED SMOOTH

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
20.0	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	45687	1.5 PSF
38 Series Lap	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	45671	1.5 PSF
190 Series Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	45783	2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	45799	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	45815	2 PSF
440 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm) 9.21 in. (234 mm)	0.675 in. (17.1 mm)	45831	2 PSF
	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	11.21 in. (254 mm) 11.21 in. (285 mm) 3.50 in. (89 mm) 5.50 in. (140 mm)	0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	45847 45863 45703 45719	2 PSF 2 PSF 3 PSF 3 PSF
540 Series Trim	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	45735	3 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm)	0.970 in. (24.6 mm)	45751	3 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm)	0.970 in. (24.6 mm)	45767	3 PSF
38 Series Vertical Siding	16 ft. (192 in.)(4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	45965	1.5 PSF
38 Series 4´x 8´No Groove Square Edge Panel	8 ft. (96 in.)(2.4 m)	48.56 in. (1 234 mm)	0.354 in. (9 mm)	45897	2 PSF
7.25" x 7.25" J-Block	7.21 in. (183 mm)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	45933	-
7.25″x 6.75″Mini Split Touch-Up Kits	7.21 in. (183 mm)	6.75 in. (17.1 mm)	0.970 in. (24.6 mm)	45982	-
roden op nits		-	-	42059	-

SUMMIT BLUE CEDAR TEXTURE

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
22.2	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	41844	1.5 PSF
38 Series Lap 16 ft. (192 in.)(4.9 m) 190 Series Trim 16 ft. (192 in.)(4	4.9 m) 16 ft. (192 in.)(4.9	7.84 in. (199 mm)	0.354 in. (9 mm) 0.578 in. (14.7 mm)	42273 41807	1.5 PSF 2 PSF 2
m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192	2.50 in. (64 mm) 3.50 in. (89 mm) 5.50 in.	0.675 in. (14.7 mm) 0.675 in. (17.1 mm) 0.675 in. (17.1 mm)	43286 43287	PSF 2 PSF 2
in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 540 Series Trim 16 ft.	(140 mm) 7.21 in. (183 mm) 9.21 in.	0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.675 in. (17.1 mm)	43279 43288	PSF 2 PSF 2
(192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4	l.9 m)	(234 mm) 11.21 in. (285 mm) 3.50 in.	0.675 in. (17.1 mm) 0.970 in. (24.6 mm)	43289 43283	PSF 3 PSF 3
Siding 16 ft. (19244)) Series 38 Series 4'x 8'No Groo	ve Square Edge Panel 8 ft.	(89 mm) 5.50 in. (140 mm) 7.21 in.	0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	43284 43285	PSF 3 PSF 3
(96 in.)(2.4 m) 38 Series 4'x 10' Panel 10 ft. (120 in.)	(3 m) 4	(183 mm) 9.21 in. (234 mm) 11.21 in.	0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	43273 43274	PSF 3 PSF 1.5
ft. (48.63 in.)(1.2 m)		(285 mm) 15.94 in. (405 mm) 48.56 in. (1	0.354 in. (9 mm) 0.354 in. (9 mm) 0.354 in. (9 mm)	43341 43379 43340	PSF 2 PSF 2 PSF 2
		234 mm) 48.56 in. (1 234 mm) 11.625 in. (29.5 cm)	0.354 in. (9 mm)	43381	PSF
		(29.5 Cm)			
540 Series Outside Corner	10 ft. (192 in.)(4.9 m) 10 ft. (192 in.)(4.9 m) 7.21 in. (183 mm) 7.21 in. (183 mm)	3.625 in. (92 mm) 5.625 in. (143 mm) 7.21 in. (183 mm)	0.970 in. (24.6 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	43342 43343 43410	-
7.25″ x 7.25″ J-Block					
7.25″ x 6.75″ Mini Split		6.75 in. (17.1 mm)	0.970 in. (24.6 mm)	43426 42057	
Touch-Up Kits	-				-

SUMMIT BLUE BRUSHED SMOOTH

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
00 Cariantan	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	45684	1.5 PSF
38 Series Lap	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	45668 45844	1.5 PSF 2 PSF 3
190 Series Trim 540 Series Trim 38 Series Vertical Siding 38 Series 4´x 8´No Groove Square	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	45790 45716	P28 F3 F PSF 3
Edge Panel 7.25" x 7.25" J-Block 7.25" x 6.75" Mini Split	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	45736 45748	PSFSF PSF
Special Control of the Control of th	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	45812	2 PSF
440 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	45828	2 PSF
	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm) 3.50 in. (89 mm)	0.675 in. (17.1 mm) 0.970 in. (24.6 mm)		
	8 ft. (96 in.)(2.4 m) 7.21 in. (183 mm) 7.21	5150 in. (249 mm) 7.21 in. (183 mm)	0.967/\$im.(24.6 mm) 0.970 in. (24.6 mm)	45860	2 PSF
	in. (183 mm)		0.970 in. (24.6 mm)		
		9.21 in. (234 mm)	0.970 in. (24.6 mm)		
		11.21 in. (285 mm)	0.970 in. (24.6 mm)	45764	3 PSF
		15.94 in. (405 mm)	0.354 in. (9 mm)	45963	1.5 PSF
		48.56 in. (1 234 mm)	0.354 in. (9 mm)	45967	2 PSF
		7.21 in. (183 mm)	0.970 in. (24.6 mm)	45927	-
		6.75 in. (17.1 mm)		45978	-
Touch-Up Kits	-	-	-	42057	-

RAPIDS BLUE CEDAR TEXTURE

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	41839	1.5 PSF
38 Series Lap	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	42287	1.5 PSF
190 Series Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	41803	2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	43227 43228	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	43220 43220 43229	2 PSF
440 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm) 9.21 in. (234 mm) 11.21 in. (285 mm) 3.50 in. (89 mm) 5.50 in. (140 mm)	0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	43230 43224 43225	2 PSF 2 PSF 2 PSF 3 PSF 3 PSF
540 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 8 ft. (96 in.)(2.4 m) 10 ft. (120 in.)(3 m)	7.21 in. (183 mm) 9.21 in. (234 mm) 11.21 in. (285 mm) 15.94 in. (405 mm) 48.56 in. (1 234 mm) 48.56 in. (1 234 mm)	0.970 in. (24.6 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm) 0.354 in. (9 mm) 0.354 in. (9 mm) 0.354 in. (9 mm)	43226 43214 43215 43337 43366 43336	3 PSF 3 PSF 3 PSF 1.5 PSF 2 PSF 2 PSF
38 Series Vertical Siding 38 Series 4´x 8´No	10 11. (120 11.)(0 111)	20411111)	0.004 III. (0 11111)	40000	1 01
Groove Square Edge Panel 38 Series 4´x					
10´Panel					
38 Series Shakes	m) 10 ft. (192 in.)(4.9 m)	11.625 in. (29.5 cm) 3.625 in. (92 mm)	0.354 in. (9 mm) 0.970 in. (24.6 mm)	43368 43338	2 PSF
540 Series Outside Corner		0.020 III. (02 IIIIII)	0.070 III. (24.0 IIIIII)	40000	
340 Series Suiside Corrier	10 ft. (192 in.)(4.9 m)	5.625 in. (143 mm)	0.970 in. (24.6 mm)	43339	-
7.25″x 7.25″ J-Block	7.21 in. (183 mm)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	43411	-
7.25″x 6.75″Mini Split	7.21 in. (183 mm)	6.75 in. (17.1 mm)	0.970 in. (24.6 mm)	43427	-
Touch-Up Kits	-	-	-	42053	-

RAPIDS BLUE BRUSHED SMOOTH

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
00 0 1 1 1 1	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	45680	1.5 PSF
38 Series Lap	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	45664	1.5 PSF
190 Series Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	457 76	2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	45792	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	45808	2 PSF
440 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	45824	2 PSF
	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm) 11.21 in. (285 mm)	0.675 in. (17.1 mm)	45840	2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm) 5.50 in. (140 mm)	0.675 in. (17.1 mm)	45856	2 PSF
		0.00 (2.10)	0.970 in. (24.6 mm)	45696	3 PSF
			0.970 in. (24.6 mm)	45712	3 PSF
540 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	45728	3 PSF
	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm)	0.970 in. (24.6 mm)	45744	3 PSF
	8 ft. (96 in.)(2.4 m) 7.21 in. (183 mm)	11.21 in. (285 mm)	0.970 in. (24.6 mm)	45760	3 PSF
38 Series Vertical Siding 38 Series 4´x 8´No Groove Square Edge Panel 7.25″x 7.25″J Block		15.94 in. (405 mm)	0.354 in. (9 mm)	45962	1.5 PSF
Groove Square Euge Farier 7.25 X 7.25 J Block		48.56 in. (1 234 mm)	0.354 in. (9 mm)	45966	2 PSF
		7.21 in. (183 mm)	0.970 in. (24.6 mm)	45919	-
7.25″x 6.75″Mini Split Touch-Up Kits	7.21 in. (183 mm)	6.75 in. (17.1 mm)	0.970 in. (24.6 mm)	45976	-
FOUCH OF NES		-	-	42053	-

CAVERN STEEL CEDAR TEXTURE

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
200	568ft.i(1.1248.i)(4:1941) 835	16 ft. (192 in.)(4.9 m) 42	23010431574919.(493114117)2 PS	SF 43148 2 PSF	1.5 PSF
38 Series Lap		7.84 in. (199 mm)	0.354 in. (9 mm)		1.5 PSF
190 Series Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)		2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)		
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)		
440 Series Trim	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	43140	2 PSF 2 PSF
	16 ft. (192 in.)(4.9 m) 9.21	in. (234 mm) 0.675 in. (2	17.1 mm) 16 ft. (192	43149	2 PSF 3 PSF
	in.)(4.9 m) 11.21 in. (285 m	nm) 0.675 in. (17.1 mm) 1	16 ft. (192 in.)(4.9 m)	43150	3 PSF 3 PSF
	3.50 in. (89 mm) 0.970 in.	(24.6 mm) 16 ft. (192 in	n.)(4.9 m) 5.50 in. (140	43144	3 PSF 3 PSF
	mm) 0.970 in. (24.6 mm) 1	16 ft. (192 in.)(4.9 m) 7.2	21 in. (183 mm) 0.970 in.	43145	
540 Series Trim	(24.6 mm) 16 ft. (192 in.)(4	4.9 m) 9.21 in. (234 mm)) 0.970 in. (24.6 mm) 16	43146	
	ft. (192 in.)(4.9 m) 11.21 in.	. (285 mm) 0.970 in. (24	1.6 mm)	43134	
				43135	
38 Series V ଣଝାରିଥାୟାରୀଏଡ୍ଡ ାରଣ Siding 38 Se	.9 m) 15:94 in: (405 mm) 0.354	4 ja. (9 mah 8) f43 (196 ih5) (9	% Fm) 48.56 in. (1 234 mm	n) 0.354 in. (9 mm) 4	13348 2 PSF 38 Seri
in. (1 234 mm) 0.354 in. (9 mm) 43132 2 PSF 7.25 "x	7.21 in. (183 mm)	4 ft. (4	48.63 in.)(1.2 m) 11.625 in.	(29.5 cm) 0.354 in.	(9 mm) 43350 2 PSF
540 Series Outside Corner	10 ft. (192 in.)(4.9 m) 10 ft. (192 in.)(4.9 m)	3.625 in. (92 mm) 5.625 in. (143 mm)	0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	43334 43335	-
	7.21 in. (183 mm) 7.21 in. (183 mm)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	43414 43430	
7.25″ x 7.25″ J-Block					
7.25″ x 6.75″Mini Split		6.75 in. (17.1 mm)	0.970 in. (24.6 mm)		
Touch-Up Kits	-	-	-	42048	-

CAVERN STEEL BRUSHED SMOOTH

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
38 Series Lap		192 in.)(4.9 m) 45657 1.5 (192 in.)(4.9 m) 5.50 in. (1 7.84 in. (199 mm)			0.6751i 5.RSF 1
190 Series Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	45769	2 PSF
440 Series Trim 540 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm) 9.21 in. (234 mm) 11.21 in. (285 mm) 3.50 in. (89 mm) 5.50 in. (140 mm) 7.21 in. (183 mm) 9.21 in. (234 mm) 11.21 in. (285 mm)	0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.970 in. (24.6 mm)	45817 45833 45849 45689 45705 45721 45737 45753	2 PSF 2 PSF 2 PSF 3 PSF 3 PSF 3 PSF 3 PSF 3 PSF
idge Panel 38 Series 4´x 10´Panel	ft. (120 in.)(3 m) 48.56	15.94 in. (405 mm)	0.354 in. (9 mm)	45959	1.5 PSF
7.21 in. (183 mm)		48.56 in. (1 234 mm)	0.354 in. (9 mm)	45883	2 PSF
		7.21 in. (183 mm)	0.970 in. (24.6 mm)	45905	-
		6.75 in. (17.1 mm)	0.970 in. (24.6 mm)	45970	-
Touch-Up Kits		-	-	42048	-

MIDNIGHT SHADOW CEDAR TEXTURE

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
22.2	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	41842	1.5 PSF
38 Series Lap	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	42274	1.5 PSF
190 Series Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	45332	2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	45353	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	45356	2 PSF
440 Series Trim	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	45359	2 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm)	0.675 in. (17.1 mm)	45362	2 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm)	0.675 in. (17.1 mm)	45365	2 PSF
540 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm) 5.50 in. (140 mm) 7.21 in. (183 mm) 9.21 in. (234 mm)	0.970 in. (24.6 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	45338 45341 45344 45347	3 PSF 3 PSF 3 PSF 3 PSF
OFO OCINCS THIT					
16 ft. (192 m.)(4.9 m.) 38 Series Vertical Siding	192 in.)(4.9 m)	11.21 in. (285 mm) 15.94 in. (405 mm)	0.970 in. (24.6 mm) 0.354 in. (9 mm)	45350 45383	3 PSF 1.5 PSF
4´x 8´No Groove Square Edge Panel 8 11. 96 m)(2.4	m) 38 Series 4´x 10´Panel	48.56 in. (1 234 mm) 48.56 in. (1 234 mm)	0.354 in. (9 mm) 0.354 in. (9 mm)	45386 45389	2 PSF 2 PSF
10 ft. (120 in.)(3 m) 4 ft. (48.63 in.)(1.2 m)		· ,	0.354 in. (9 mm)	45398	
38 Series Shakes		11.625 in. (29.5 cm)			2 PSF
540 Series Outside Corner	10 ft. (192 in.)(4.9 m)	3.625 in. (92 mm)	0.970 in. (24.6 mm)	45392	-
340 Series Outside Corrier	10 ft. (192 in.)(4.9 m)	5.625 in. (143 mm)	0.970 in. (24.6 mm)	45395	-
7.25" x 7.25" J-Block	7.21 in. (183 mm) 7.21 in. (183 mm)	7.21 in. (183 mm) 0.9 in. (17.1 mm) 0.970 ir	70 in. (24.6 mm) 6.75	43402 43418	
7.25″x 6.75″Mini Split	-	(17.111111) 0.970 11	. (2)	42049	
Touch-Up Kits					-

MIDNIGHT SHADOW BRUSHED SMOOTH

DESCRIPTION	LENGTH	PID NUMBER	WEIGHT		
22.2	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	45677	1.5 PSF
38 Series Lap	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	45661	1.5 PSF
190 Series Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	457 73	2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	45789	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	45805	2 PSF
440 Series Trim	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	45821	2 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm)	0.675 in. (17.1 mm)	45837	2 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm)	0.675 in. (17.1 mm)	45853	2 PSF
	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm) 5.50 in. (140 mm) 7.21 in. (183 mm) 9.21 in. (234 mm)	0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	45693 45709 45741	3 PSF 3 PSF 3 PSF
540 Series Trim	10 10. (102 11.)(1.0 11.)	0.21111 (20111111)	0.970 in. (24.6 mm)	45725	3 PSF
			0.970 in. (24.6 mm)		
	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm)	0.970 in. (24.6 mm)	45757	3 PSF
38 Series Vertical Siding 38 Series 4´x 8´No Groove Square Edge Panel 7.25˝x 7.25˝J-Block	8 ft. (96 in.)(2.4 m) 7.21 in. (183 mm)	15.94 in. (405 mm)	0.354 in. (9 mm)	45960	1.5 PSF
Groove Square Luge Farier 7.25 X 7.25 3 Block	7.21 11. (100 11111)	48.56 in. (1 234 mm)	0.354 in. (9 mm)	45887	2 PSF
		7.21 in. (183 mm)	0.970 in. (24.6 mm)	45913	-
7.25″x 6.75″Mini Split	7.21 in. (183 mm)	6.75 in. (17.1 mm)	0.970 in. (24.6 mm)	45972	-
Touch-Up Kits	-	-	-	42049	-

ABYSS BLACK CEDAR TEXTURE

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT		
22.2	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	417 74	1.5 PSF		
38 Series Lap	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	42279	1.5 PSF		
190 Series Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	41797	2 PSF		
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	42327	2 PSF		
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	42331	2 PSF 2 PSF		
440 Series Trim	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	41763	2 PSF 2 PSF		
	16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm)	0.675 in. (17.1 mm)	41765	3 PSF		
	16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm)	0.675 in. (17.1 mm)	41764			
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.970 in. (24.6 mm)	42315			
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.970 in. (24.6 mm)	42319	3 PSF 3 PSF		
540 Series Trim	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	42323	3 PSF 3 PSF		
16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 11	.21 in. (285 mm) 0.970 in. (24	.6 m ஹ்21 in. (234 mm) 1	0.970 in. (241 6 fitn(1)92	in.)(4. 9 177)6 2 88 in. (7			
0.354 in. (9 mm) 45490 -				41760			
38 Series 24" x 16' Closed Soffit 38 Series 24" x 16' V	ented Soffit 16 ft. (192 in.)(4.	9 m) 288 in. (7.3152 m) 0	.354 in. (9 mm) 45494 - 3				4 ft. (48
in.)(4.9 m) 15.94 in. (405 mm) 38 Series 4'x 8'No Gr	8 ft.	(96 in.)(2.4 m) 48.56 in.	(1 234 mm) 0.354 in. (9 n	nm) 41833 2 PSF	7.2	21 in. (183 mm) 7.21 in.	(183 mm
6.75" Mini Split 7.21 in. (183 mm) 6.75 in. (17.1 mm) 38	Series Vertical Siding 16 ft. ((192 in.)(4.9 m) 15.94 in.	(405 mm) 0.354 in. (9 m	m) 41775 1.5 PSF To	uch-Up Kits		
540 Series Outside Corner	10 ft. (192 in.)(4.9 m) 3.6	625 in. (92 mm) 0.970 in.	(24.6 mm) 42012 -10 ft. ((192 in.)(4.9 m) 5.625	5 in. (143		
340 Series Outside Corrier	mm) 0.970 in. (24.6 mm) 42016 -					
7.25" x 7.25" J-Block 7.21 in. (183 mm) 7.	21 in. (183 mm) 0.970 in. (24.0	6 mm) 43435 -7.25" x 6.7	5 Mini Split 7.21 in. (183 m	nm) 6.75 in. (17.1 mm	0.970		
in. (24.6 mm) 43431 -							
Touch-Up Kits	-	-	-	42045	-		

ABYSS BLACK BRUSHED SMOOTH

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
22.2	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	45672	1.5 PSF
38 Series Lap	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	45656	1.5 PSF
190 Series Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	45768	2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	45784	2 PSF
440 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm) 7.21 in. (183 mm) 9.21 in. (234 mm) 11.21 in. (285 mm) 3.50 in. (89 mm)	0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.675 in. (17.1 mm) 0.970 in. (24.6 mm)	45800 45816 45832 45848 45688	2 PSF 2 PSF 2 PSF 2 PSF 3 PSF
540 Series Trim	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm) 7.21 in. (183 mm) 9.21 in. (234 mm) 11.21 in. (285 mm)	0.970 in. (24.6 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	45704 45720 45736 45752	3 PSF 3 PSF 3 PSF 3 PSF
4 ft. (48.63 in.)(1.2 m) 11.69 in. (29.5 cm) 0.315 in. (8 mm) 4	200712 PSE102 in: V4.0 mVice	S 288 i 116 (ft 3 (15922m)	0.354 in. (9 mm)	45898	
n. (183 m n) 38 Series 4'x 10'Panel 10 ft. (120 in.)(3 m) 48.56 in		48.56 in. (1 234 mm)	0.354 in. (9 mm)	45882	2 PSF
1. (183 m n) 38 Series 4 x 10 Pariel 10 it. (120 in.)(3 m) 48.56 ir	. (1 2 84 un (99) (0.)(324411 :)(9 mm	1) 41//12 PSF	,		
			0.354 in. (9 mm)	45866	1.5 PSF
			0.970 in. (24.6 mm)	45903	-
			0.970 in. (24.6 mm)	45935	-
			-	42045	-

Specifications: LP_® SmartSide_® Lap Siding

CEDAR TEXTURE LAP SIDING

THE BOLD LOOK OF CEDAR WITHOUT MANY OF THE WORRIES

- One of the most durable lap siding options on the market today
- Available in lengths up to 16 to help speed installation
- May create fewer seams than traditional 12' siding
- Primed for exceptional paint adhesion
- APA-certified lap siding
- Treated with the SmartGuard® process for superior protection and resistance against the weather, fungal decay and termites





Cedar Texture


38 SERIES CEDAR TEXTURE LAP

5.84 in., 6.84 in., 7.84 in. or 11.84 in. (148 mm 174 mm 199 mm or 301 mm)

76 SERIES CEDAR TEXTURE LAP



76 SERIES SMARTLOCK CEDAR TEXTURE LAP



DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
38 Series Lap	12 ft. (144 in.)(3.7 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	28869	1.5 PSF
	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	25796	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	25797	1.5 PSF
	16 ft. (192 in.)(4.9 m)	11.84 in. (301 mm)	0.354 in. (9 mm)	25799	1.5 PSF
76 Series Lap	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.418 in. (10.6 mm)	25786	1.5 PSF
	16 ft. (192 in.)(4.9 m)	11.84 in. (301 mm)	0.418 in. (10.6 mm)	25787	1.5 PSF
76 Series SmartLock Lap	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.418 in. (10.6 mm)	30317	1.5 PSF

Specifications: LP_® SmartSide_® Lap Siding Coverage

5000

728 pcs.

	Reveal (size)				Revea	ıl (size)	
Area (sq. ft.)	6-7/8"(8")		Area (sq. ft.)	4-7/8"(6")	5-7/8"(7")	6-7/8"(8")	10-7/8″(
100	15 pcs.		100	16 pcs.	13 pcs.	11 pcs.	7 pcs
200	30 pcs.		200	31 pcs.	26 pcs.	22 pcs.	14 pc
300	44 pcs.		300	47 pcs.	39 pcs.	33 pcs.	21 pc:
400 69 pcs. 52	pcs. 44 pcs. 28 pcs. 500	73 pcs. 500 77 pcs. 64	pcs. 55 pcs. 35 pcs. 600 8	38 pcs. 600 93 pcs.	77 pcs. 66 pcs. 42	2 pcs. 700 102 pcs	s. 700 108
pcs. 90 pcs. 77	pcs. 49 pcs. 800 117 pcs	s. 800 124 pcs. 103 pcs.	88 pcs. 56 pcs. 900 900 3	139 pcs. 115 pcs. 99	pcs. 63 pcs.		
	131 pcs.						
1000	146 pcs.		1000	154 pcs.	128 pcs.	110 pcs.	69 pc
1500 23 9 pcs. 19	92 pcs. 164 pcs. 104 pcs.	2000 291 pcs. 2000 30	08 pcs. 256 pcs. 219 pcs. 1	.38 pcs.			
2500	364 pcs.		2500	385 pcs.	320 pcs.	273 pcs.	173 pc
3000	437 pcs.		3000	462 pcs.	383 pcs.	328 pcs.	207 pc
3500	510 pcs.		3500	539 pcs.	447 pcs.	382 pcs.	242 pc
4000	582 pcs.		4000	616 pcs.	511 pcs.	437 pcs.	276 pc
4500	655 pcs.		4500	693 pcs.	575 pcs.	491 pcs.	311 pc

5000

770 pcs.

639 pcs.

546 pcs.

345 pcs.

Specifications: LP® SmartSide® Shakes

CEDAR TEXTURE SHAKES


THE LUXURIOUS APPEAL OF CEDAR

- The look of traditional cedar with easier maintenance over time
- Staggered edges offer a lively, textured effect
- Can be used as a decorative accent or on the entire structure
- Shiplap ends for seamless appearance
- Reversible staggered or straight edge offers exceptional design versatility
- Treated with the SmartGuard® process for superior protection and resistance against the weather, fungal decay and termites




Staggered

38 SERIES CEDAR TEXTURE SHAKES





Straight



DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
38 Series Cedar Texture Shakes	4ft. (48.63 in.)(1.2 m)	11.625 in. (295 mm)	0.354 in. (9 mm)	42092	2 PSF

Specifications: LP_® SmartSide_® Cedar Texture Shakes Coverage

Cedar Texture Shakes 4' Length		Reveal (size)		
Area (sq. ft.)	6-7/8″(12″)	9-7/8"(12")		
100	44 pcs.	31 pcs.		
200	88 pcs.	61 pcs.		
300	131 pcs.	92 pcs.		
400	175 pcs.	122 pcs.		
500	219 pcs.	152 pcs.		
600	262 pcs.	183 pcs.		
700	306 pcs.	213 pcs.		
800	350 pcs.	244 pcs.		
900	393 pcs.	274 pcs.		
1000	437 pcs.	304 pcs.		
1500	655 pcs.	456 pcs.		
2000	873 pcs.	608 pcs.		
2500	1091 pcs.	760 pcs.		
3000	1310 pcs.	912 pcs.		
3500	1528 pcs.	1064 pcs.		
4000	1746 pcs.	1216 pcs.		
4500	1964 pcs.	1368 pcs.		
5000	2182 pcs.	1519 pcs.		

Disclaimer: The above Tables do not account for waste factors. Remember to include your expected jobsite waste. It is up to the purchaser to determine the appropriate waste factor to add to the material estimate. LP takes no responsibility for estimates, including overages or shortages of material based on the above Coverage Chart.

Specifications: LP_® SmartSide_® Panel Siding

PANEL SIDING

RATED FOR STRUCTURAL USE BY APA®

- Shiplap edges with alignment bead for easier installation
- Primed for exceptional paint adhesion
- Significantly lighter than comparable fiber cement panel
- Strong enough to be nailed directly to stud, making additional sheathing unnecessary in many applications
- Helps to eliminate need for additional bracing on load-bearing walls
- Ideal exterior for homes in areas of high winds or seismic activity
- Treated with the SmartGuard[®] process for superior protection and resistance against the weather, fungal decay and termites




Cedar Texture


GROOVE DETAIL




38 SERIES CEDAR TEXTURE PANEL 8" O.C.



38 SERIES CEDAR TEXTURE – NO GROOVE DUAL USE SIDING AND SOFFIT PANEL




76 SERIES CEDAR TEXTURE PANEL 4" & 8" O.C.




38 SERIES CEDAR TEXTURE PANEL - NO GROOVE



190 SERIES CEDAR TEXTURE PANEL 8" O.C.



76 SERIES CEDAR TEXTURE PANEL - NO GROOVE



Specifications: LP_® SmartSide_® Panel Siding

DESCRIPTION	LENGTH	GROOVE	GROOVE WIDTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
38 Series Cedar Texture Panel 8″ o.c.	6 ft. (72 in.)(1.8 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1 234 mm)	0.354 in. (9 mm)	27805	1.5 PSF
	7 ft. (84 in.)(2.1 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1 234 mm)	0.354 in. (9 mm)	27806	1.5 PSF
	8 ft. (96 in.)(2.4 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1 234 mm)	0.354 in. (9 mm)	25840	1.5 PSF
	9 ft. (108 in.)(2.7 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1 234 mm)	0.354 in. (9 mm)	25843	1.5 PSF
	10 ft. (120 in.)(3.0 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1 234 mm)	0.354 in. (9 mm)	25844	1.5 PSF
	12 ft. (144 in.)(3.7 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1 234 mm)	0.354 in. (9 mm)	25845	1.5 PSF
38 Series Cedar Texture Panel No Groove Shiplap Edge**	8 ft. (96 in.)(2.4 m) 9	No Groove No Groove	N/A	48.56 in. (1 234 mm)	0.354 in. (9 mm)	25855 *	1.5 PSF
	ft. (108 in.)(2.7 m) 10	No Groove No Groove	N/A	48.56 in. (1 234 mm)	0.354 in. (9 mm)	29189 *	1.5 PSF
	ft. (120 in.)(3.0 m) 8		N/A	48.56 in. (1 234 mm)	0.354 in. (9 mm)	25825 *	1.5 PSF
38 Series Cedar Texture Siding and Soffit Panel No Groove Square Edge** 76 Series Cedar	ft. (96 in.)(2.4 m)		N/A	47.88 in. (1 216 mm)	0.354 in. (9 mm)	41044	1.5 PSF
Texture Panel 4" and 8" o.c.	8 ft. (96 in.)(2.4 m)	4 in. o.c.	3/8 in. (10 mm)	48.56 in. (1 234 mm)	0.418 in. (10.6 mm)	25831	1.5 PSF
	9 ft. (108 in.)(2.7 m)	4 in. o.c.	3/8 in. (10 mm)	48.56 in. (1 234 mm)	0.418 in. (10.6 mm)	25832 *	1.5 PSF
	8 ft. (96 in.)(2.4 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1 234 mm	0.418 in. (10.6 mm)	25848	1.5 PSF
	9 ft. (108 in.)(2.7 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1 234 mm)	0.418 in. (10.6 mm)	25850	1.5 PSF
	10 ft. (120 in.)(3.0 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1 234 mm) 0	.418 in. (10.6 mm)	25851	1.5 PSF
76 Series Cedar Texture Panel No Groove Shiplap Edge**	8 ft. (96 in.)(2.4 m))	No Groove	N/A	48.56 in. (1 234 mm) 0	.418 in. (10.6 mm)	25856	1.5 PSF
	9 ft. (108 in.)(2.7 m)	No Groove	N/A	48.56 in. (1 234 mm)	0.418 in. (10.6 mm)	25857	1.5 PSF
	10 ft. (120 in.)(3.0 m	No Groove	N/A	48.56 in. (1 234 mm) 0	.418 in. (10.6 mm)	25858	1.5 PSF
190 Series Cedar Texture 8" o.c.	8 ft. (96 in.)(2.4 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1 234 mm)	0.578 in. (14.7 mm)	25852	2 PSF
	9 ft. (108 in.)(2.7 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1 234 mm) 0	.578 in. (14.7 mm)	25853 *	2 PSF
	10 ft. (120 in.)(3.0 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1 234 mm) 0	.578 in. (14.7 mm)	25854 *	2 PSF

^{*}Special order item. Requires minimum quantity and extended lead times.

^{**}Coordinates with LP SmartSide Trim for board and batten applications.

Specifications: LP_® SmartSide_® Panel Siding Coverage

Panel Siding		Revea	Reveal (size)		
Area (sq. ft.)	4'x 8'	4'x 9'	4′x 10′	4′x 12′	
100	4 pcs.	3 pcs.	3 pcs.	3 pcs.	
200	7 pcs.	6 pcs.	5 pcs.	5 pcs.	
300	10 pcs.	9 pcs.	8 pcs.	7 pcs.	
400	13 pcs.	12 pcs.	10 pcs.	9 pcs.	
500	16 pcs.	14 pcs.	13 pcs.	11 pcs.	
600	19 pcs.	17 pcs.	15 pcs.	13 pcs.	
700	22 pcs.	20 pcs.	18 pcs.	15 pcs.	
800	25 pcs.	23 pcs.	20 pcs.	17 pcs.	
900	29 pcs.	25 pcs.	23 pcs.	19 pcs.	
1000	32 pcs.	28 pcs.	25 pcs.	21 pcs.	
1500	47 pcs.	42 pcs.	38 pcs.	32 pcs.	
2000	63 pcs.	56 pcs.	50 pcs.	42 pcs.	
2500	79 pcs.	70 pcs.	63 pcs.	53 pcs.	
3000	94 pcs.	84 pcs.	75 pcs.	63 pcs.	
3500	110 pcs.	98 pcs.	88 pcs.	73 pcs.	
4000	125 pcs.	112 pcs.	100 pcs.	84 pcs.	
4500	141 pcs.	125 pcs.	113 pcs.	94 pcs.	
5000	157 pcs.	139 pcs.	125 pcs.	105 pcs.	

Specifications: LP_® SmartSide_® Trim

CEDAR TEXTURE TRIM

THE CLASSIC APPEARANCE OF CEDAR

- Exterior use, including corner boards, windows and doors
- Narrow widths for more design flexibility
- Primed for exceptional paint adhesion
- 16´length can result in faster installation and fewer seams
- Treated with the SmartGuard
 oprocess for superior protection and resistance against the weather, fungal decay and termites





Cedar Texture





234 mm or 285 mm)





DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
190 Series Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	28448	2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.578 in. (14.7 mm)	28450	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.578 in. (14.7 mm)	28452	2 PSF
440 Series Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (38 mm)	0.675 in. (17.1 mm)	25877	2 PSF
	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.675 in. (17.1 mm)	25878	2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	25880	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	25882	2 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	25883	2 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm)	0.675 in. (17.1 mm)	25884	2 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm)	0.675 in. (17.1 mm)	25885	2 PSF
540 Series Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (38 mm)	0.970 in. (24.6 mm)	25886 *	3 PSF
	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.970 in. (24.6 mm)	25887 *	3 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.970 in. (24.6 mm)	25888	3 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.970 in. (24.6 mm)	25890	3 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	25891	3 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm)	0.970 in. (24.6 mm)	25892	3 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm)	0.970 in. (24.6 mm)	25893	3 PSF
440 Series Cedar Texture Ploughed Fascia	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	27240 *	2 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	27819 *	2 PSF

^{*}Special order item. Requires minimum quantity and extended lead times.

Specifications: LP_® SmartSide_® Trim

BRUSHED SMOOTH TRIM

SMOOTH APPEARANCE, ADVANCED DURABILITY OF **ENGINEERED WOOD**

- Helps protect against moisture intrusion, impacts from hail, and damage from freeze/thaw cycles
- Treated with the SmartGuardo process for superior protection and resistance against the weather, fungal decay and termites
- 16´length can result in faster installation and fewer seams
- Primed for exceptional paint adhesion
- Backed by an industry-leading 5/50-year limited warranty





Brushed Smooth Trim







DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
440 Series Brushed Smooth Trim	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	46000	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	46001	2 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	46002	2 PSF
	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm) 11.21 in. (285 mm)	0.675 in. (17.1 mm) 0.675 in. (17.1 mm)	46003 46004	2 PSF
	16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m) 16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm) 3.50 in. (89 mm)	0.970 in. (24.6 mm) 0.970 in. (24.6 mm) 0.970 in. (24.6 mm)	46010 45992	2 PSF
540 Series Brushed Smooth Trim	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)		45993	3 PSF
					3 PSF
					3 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	45995	3 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm)	0.970 in. (24.6 mm)	45997	3 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm)	0.970 in. (24.6 mm)	45998	3 PSF

Specifications: LP_® SmartSide_® Soffit

CEDAR TEXTURE SOFFIT

THE FINISHING TOUCH

- Cut-to-width can help to eliminate time spent cutting full sheets down to size
- 38 Series engineered for closed soffit applications
- 76 Series and 190 Series are ideal for use as the starter course for roofs with exposed eaves
- Treated with the SmartGuard process for superior protection and resistance against the weather, fungal decay and termites





Cedar Texture

38 SERIES 4'x 8'CEDAR TEXTURE SOFFIT



76 SERIES 4'x 8'CEDAR TEXTURE SOFFIT



190 SERIES 4'x 8'CEDAR TEXTURE SOFFIT



38 SERIES CEDAR TEXTURE SOFFIT – CUT-TO-WIDTH



76 SERIES CEDAR TEXTURE SOFFIT – CUT-TO-WIDTH



DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
38 Series 4'x 8'Cedar Texture Soffit	8 ft. (96 in.)(2.4 m)	47.88 in. (1 216 mm)	0.354 in. (9 mm)	25813	-
38 Series Cedar Texture Siding and Soffit Panel	8 ft. (96 in.)(2.4 m)	47.88 in. (1 216 mm)	0.354 in. (9 mm)	41044	-
76 Series 4'x 8'Cedar Texture Soffit	8 ft. (96 in.)(2.4 m)	47.88 in. (1 216 mm)	0.418 in. (10.6 mm)	25814	-
190 Series 4'x 8'Cedar Texture Soffit	8 ft. (96 in.)(2.4 m)	47.88 in. (1 216 mm)	0.578 in. (14.7 mm)	25816 *	-
38 Series Cedar Texture Soffit – Cut-to-Width	16 ft. (192 in.)(4.9 m)	11.94 in. (303 mm)	0.354 in. (9 mm)	25805	-
	16 ft. (192 in.)(4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	25806	-
	16 ft. (192 in.)(4.9 m)	23.94 in. (608 mm)	0.354 in. (9 mm)	25807	-

^{*}Special order item. Requires minimum quantity and extended lead times. | Metric units are rounded.

Specifications: LP_® SmartSide_® Soffit

VENTED SOFFIT

ENGINEERED TO CUT OUT PROBLEMS


- Precisely cut vents offer 5 and 10 square inches of ventilation per linear foot, providing more options to meet code requirements while adding architectural beauty
- Promotes continuous airflow
- 1/8" vents to help keep hornets and bees out
- Eliminates time spent ripping full sheets
- Treated with the SmartGuard® process for superior protection and resistance against the weather, fungal decay and termites





Cedar Texture

38 SERIES VENTED CEDAR TEXTURE SOFFIT - CUT-TO-WIDTH



DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
38 Series Vented Cedar Texture Soffit – Cut-to-Width	16 ft. (192 in.)(4.9 m)	11.94 in. (303 mm)	0.354 in. (9 mm)	25822	-
	16 ft. (192 in.)(4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	25823	-
	16 ft. (192 in.)(4.9 m)	23.94 in. (608 mm)	0.354 in. (9 mm)	25824	-

Specifications: LP_® SmartSide_® Vertical Siding


VERTICAL SIDING

CHARMING STYLE FOR AMERICAN HOMES

- 16´lengths can eliminate horizontal joints
- Coordinates with LP SmartSide Trim
- Primed for exceptional paint adhesion
- Not rated for structural use
- Treated with the SmartGuard® process for superior protection and resistance against the weather, fungal decay and termites

■Sheathing-only attachment





DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
38 Series Cedar Texture	16 ft. (192 in.)(4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	40503	1.5 PSF

Specifications: LP_® SmartSide_® Vertical Siding Coverage

Vertical Siding	Reveal (size)			
Area (sq. ft.)	15-15/16″(16″)			
100	5 pcs.			
200	10 pcs.			
300	15 pcs.			
400	19 pcs.			
500	24 pcs.			
600	29 pcs.			
700	33 pcs.			
800	38 pcs.			
900	43 pcs.			
1000	48 pcs.			
1500	71 pcs.			
2000	95 pcs.			
2500	118 pcs.			
3000	142 pcs.			
3500	165 pcs.			
4000	189 pcs.			
4500	212 pcs.			
5000	236 pcs.			

Specifications: LP_® SmartSide_® Accessories

J-BLOCKS

A COHESIVE LOOK FOR HOME EXTERIORS

- Easier installation
- Primed for exceptional paint adhesion
- Rich cedar-grain texture
- Used to easily and attractively mount light fixtures, water faucets and more
- Treated with the SmartGuard∘ process for superior protection and resistance against the weather, fungal decay and termites
- Backed by a 5/10-year limited warranty





Cedar Texture

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER
Cedar Texture 7.25" x 7.25" J-Block	7.21 in. (183 mm)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	43509

MINI-SPLITS

EASIER INSTALLATION FOR EXTERIOR FEATURES

- Easier installation (can be separated for specific mount sizes)
- Primed for exceptional paint adhesion
- Rich cedar-grain texture
- Used to easily and attractively mount light fixtures, water faucets and more
- Treated with the SmartGuard® process for superior protection and resistance against the weather, fungal decay and termites
- Backed by a 5/10-year limited warranty





Cedar Texture

	DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER
Ī	Cedar Texture 7.25" x 6.75" Mini Split	7.21 in. (183mm)	6.75 in. (171 mm)	0.970 in. (24.6 mm)	43510

BUILD BETTER WITH LP BUILDING SOLUTIONS

Building a Better World™

LP's mission is to provide an innovative and sustainable portfolio of high-quality products that help our customers build beautiful, durable homes and structures. With a united spirit of discovery, LP is forging ahead with innovative ideas to create new products that make a difference in the world.

LP WeatherLogic. Air & Water Barrier

LP WeatherLogic Air & Water Barrier provides moisture management technology for a better build. To protect against air and water during construction and for years to come, LP WeatherLogic Air & Water Barrier creates a tight building envelope, installs easily, and keeps the jobsite clean.

LP. TechShield. Radiant Barrier

The original, #1 brand of radiant barrier, LP TechShield Radiant Barrier may reduce monthly cooling costs by blocking up to 97% of the radiant heat in the panel from emitting into a home's attic, lowering attic temperatures by up to 30° F.

LP Legacy® Premium Sub-Flooring

LP Legacy Premium Sub-Flooring uses Gorilla Glue Technology® for one of the strongest, stiffest sub-floors. The resin in Gorilla Glue Technology binds wood fibers at the molecular level for premium performance.

LP_® FlameBlock_® Fire-Rated Sheathing

LP FlameBlock Fire-Rated Sheathing has structural design values equal to standard sheathing in the same performance category. ICC-certified (ESR-1365) per AC264 with a Class A and 30-minute Flame Spread Rating (ASTM E84), it combines fire resistance and impressive structural performance in a single panel.

LP® ArchForm™ Concrete Edge Form

LP ArchForm Concrete Edge Form is an engineered wood product designed for use in flatwork concrete forming applications, such as residential landscaping, patios, walkways, pool decks and more. It is flexible enough for curving to fit the contours of formed concrete projects and is backed by LP's industry-leading technology, service and support.





For more information, visit LPCorp.com/SmartSide

WARNING: Drilling, sawing, sanding or machining wood products can expose you to wood dust, a substance known to the State of California to cause cancer. Avoid inhaling wood dust or use a dust mask or other safeguards for personal protection. For more information go to www.P65Warnings.ca.gov/wood.