



THE #1 BRAND FOR PREMIUM POLYMER TRIM & MOULDING

We're committed to innovation so you can deliver the best-in-class designs your projects deserve.

With over 20 years in the business, industry-leading warranties, and unparalleled building materials technology, AZEK Exteriors has emerged as the marketplace leader in premium products. We are proud to have been chosen by you time and again, earning industry awards for quality and builder preference. Still, we are committed to pushing our innovation even further. We research, test, and design premium exteriors solutions for improved installation and longer-lasting performance.

Because your projects—and your discerning clients—deserve it.

THE AZEK DIFFERENCE			AZEK TRIM	
	Durability	04	Overview	32
	PaintPro®	06	Trim and Sheet	34
	Working with AZEK	08	Cornerboards	37
	Recycling	10	Skirt Boards	38
			J-Series Trim	40
	SIDING		Soffit System	43
	Shingle Siding	14	Column Wraps and Kits	44
	Bevel	16	Beadboard and Shiplap	46
	Board and Batten	18		
	Cladding	22		

Crown		49
Sill		50
Casing		51
WINDO	W SURROUNDS	
Six Class	sic Profiles	52
FASTEN	ING	
Cortex®		56
Adhesive	es	57

MOULDING



WHY WOOD YOU EVER?

We wouldn't. Unlike our polymer products, wood can offer no reliable protection against the elements. With wood trim or siding, you should expect water damage from mold and rot, costly painting, and regular maintenance.







INDUSTRY-LEADING WARRANTIES

We back the performance of our trim, moulding, and siding with a Lifetime Limited Warranty that covers rotting, delaminating, splintering, and swelling from excessive moisture.



CLASS-A-RATED FLAME SPREAD INDEX

AZEK Trim and Siding with PaintPro® Technology maintains a Class A Flame Spread Rating. It's an excellent choice if you are building in wildfire country.













DESIGNED FOR EASY INSTALLATION

ENGINEERED TO ENDURE

Our premium products are made from engineered polymer using advanced materials science and crafted for installation ease. With moisture resistance and durability far superior to traditional wood and other non-wood alternatives, AZEK® ensures your build stays as beautiful on day 1,000 as on day 1.




RATE OF MOISTURE ABSORPTION*

Even when painted, wood and other porous materials naturally absorb water. This leads to rot, mold growth, and material expansion. As trim or siding expands, the resulting movement can lead to unsightly damage and leave extended gaps in the exterior wrap, making other parts of the home susceptible to water damage.



* Results were based on internal testing performed by AZEK where materials were exposed to water and weighed to determine moisture absorption







Painted



Painted



84.0%



Painted





Resistant

Resistant









PAINTPRO® TECHNOLOGY

Engineered to be the best substrate for paint

AZEK Trim and Siding with PaintPro Technology offers a superior substrate for painting. Engineered for a superior bond with paint and enhanced for improved paint coverage without the need for any special prep, PaintPro Technology ensures longerlasting curb appeal. Say hello to the revolutionary power of PaintPro Technology for exterior trim and siding and say goodbye to frequent maintenance and expensive repainting.

AZEK TRIM AND SIDING PAINT TYPE GUIDELINES

COLOR RANGE	KEY COLOR SELECTION CRITERIA	PAINT TYPE	
Lighter paint colors only	Must have a light reflective value (LRV) above 55	Exterior 100% acrylic latex	
Light, medium, and some darker colors	Only use colors that are from a paint manufacturer's approved color list for vinyl siding. No custom colors.	Exterior 100% acrylic latex made for vinyl siding	
Dark colors & custom colors	Available via special order only. Visit our custom colors and special-order paint page. Never custom color match in local paint stores.	Exterior 100% acrylic latex with solar reflective pigments	

REMEMBER: Always make sure your paint is 100% water-based (acrylic) and suitable for exterior application.

SCAN TO SEE PAINT AND COLOR RECOMMENDATIONS



READY TO PAINT

No sanding. No priming. Faster dry times.

SUPERIOR ADHESION

Paint creates a strong bond with PaintPro Technology to reduce chipping, cracking, and other paint defects over time.

LOW MAINTENANCE

Enjoy a painted finish that endures beautifully without the need for constant repainting.



TRIM AND SHEET

Available in over 20 profiles, including One-Piece Skirt and Corner Boards. Add color to any job. Reversible trim in smooth and woodgrain finish. See page 34.

SHINGLE SIDING

Available in three profiles, including staggered and straight patterns. Shingle siding offers the look of cedar with a vertical woodgrain emboss. See page 15.

BOARD AND BATTEN SIDING

Available in 8', 10', and 12' sheets, and batten strips in 1 1/2" and 2 1/2" widths, for options to customize your design. See page 19.











AZEK® PRODUCTS ARE DESIGNED TO PROVIDE INSTALLATION SOLUTIONS

AZEK offers more trim sizes and solution-based moulding profiles than any other brand on the market. Our engineered polymer products serve as the exteriors solution you need—and your project deserves.



INTEGRATED DRIP EDGE

Designed for water management around doors and windows, it's also ideal for band board installations. See page 39.



BOARD AND BATTEN

AZEK Sheet and Trim with PaintPro Technology are a perfect solution for Board and Batten Siding. See page 19.





UNIVERSAL SKIRT BOARD OR ONE-PIECE SKIRT BOARD

The perfect transition between siding and grade with no starter strips needed.

See page 39.



J-SERIES QUICK CORNERTM **OUTSIDE CORNER**

One-piece corner boards install quickly with no caulk required and no unsightly edges. See page 42.



J-SERIES QUICK CORNER **INSIDE CORNER**

Inside Corner installs with hidden fasteners to eliminate the need for excessive face nailing and touch-ups.

See page 42.



and the second s

THREE-PLUS-ONE **COLUMN WRAP**

Easy-to-install threeplus-one column wrap saves time and installation costs.

See page 44.



SIDING





STRAIGHT AND STAGGERED SHINGLE SIDING

AZEK Shingle Siding available in three sizes, all with PaintPro Technology. See page 20.



FLANGE SLOTTED TRIM, RABBETED TRIM, AND J-SERIES J-CASING

Trim boards are designed to reduce installation time and create beautiful window and door surrounds.

See page 36.





JOIN US IN CREATING A

MORE SUSTAINABLE FUTURE

As the innovative manufacturer of beautiful, low-maintenance, environmentally sustainable exterior building products, AZEK® is deeply committed to making a lasting impact on the world by accelerating the use of recycled materials. We pursue initiatives that positively impact our products, our industry, and our planet. Leveraging our R&D strengths, we introduce products that increasingly utilize recycled materials. We're working to meet our own ambitious targets, like using 1 billion pounds of recycled waste and scrap material annually by the end of 2026 in the manufacturing of our products.

HELP US TO REDUCE LANDFILL WASTE AND RECYCLE MORE **BUILDING MATERIAL SCRAP**

DIVERTED OVER

O MILLION

of scrap and waste from landfills through our recycling programs in 2022

ASPIRING TO USE

ONE BILLION

of recycled material annually by the end of 2026



GOODS THAT DO GOOD

We are proud to offer highquality products across our portfolio that are made from up to approximately 90% post-consumer and post-industrial recycled materials.





SCRAPPY

AZEK's FULL-CIRCLE PVC Recycling Program reduces landfill waste at the jobsite, helping installers and homeowners choose more sustainable homes.





PVC SCRAP RECYCLE BIN PROGRAM

As a part of the AZEK FULL-CIRCLE Recycling™ Program, we are partnering with our network of dealers and distributors to offer recycle bins to collect PVC trim, siding, and cladding scrap. Contractors can request bins from participating dealers to collect jobsite scraps, reduce associated landfill fees, and make an environmental impact in their market.

GET INVOLVED TODAY! LEARN MORE ABOUT THE AZEK FULL-CIRCLE PVC RECYCLING SCRAP COLLECTION PROGRAM.

- · Find recycle bin locations in your area
- · Get set up with bins at your dealer location
- · Inquire about bins at an actual jobsite



The AZEK Company is a Gold member of the US Green Building Council and is pleased to support project teams working to attain LEED certification. AZEK's Chicago headquarters are LEED certified. For details about how AZEK supports LEED certification, review our LEED playbook below.





AZEK LEED **PLAYBOOK**







AZEK® PREMIUM SIDING WITH PAINTPRO TECHNOLOGY

Once installed, AZEK Siding options achieve best-in-class aesthetics with the performance and low-maintenance benefits of rot-proof PVC building materials. Leveraging our innovative PaintPro Technology, AZEK Shingle and Board & Batten offer rapid paint dry times, superior paint adhesion, and a painted finish that lasts without needing frequent maintenance. Delivering enduring beauty with superior durability has never been so effortless.







Resistant



Durable, Less Long-





Engineered for Paint





AZEK® SHINGLE SIDING WITH PAINTPRO® TECHNOLOGY

AZEK Shingle Siding uses state-of-the-art proprietary engineered polymers for superior endurance, durability, and rot resistance to deliver an authentic and timeless wood look. Enhanced with PaintPro Technology, AZEK® Shingle Siding delivers a long-lasting painted finish without the frequent maintenance. Get the timeless look of cedar siding with enhanced endurance and moisture resistance, no matter the climate. Available in three profiles. See page 20 for details.







STRAIGHT SHINGLE 7" AND 5" REVEAL

Consistency with a dash of variety. Uniform horizontal lines with varied width tabs and keyways for the most natural-looking shingle to beautifully complement modern or classic exterior architecture.





STAGGERED SHINGLE 6" REVEAL

Patterns with individual character, dimension, and diversity. Each random-edge panel enhances the overall pattern for an amazing exterior picture. Beautiful variety in both vertical and horizontal





AZEK BEVEL SIDING

AUTHENTIC SANDED CEDAR APPEARANCE

AZEK Bevel looks so much like real cedar siding, it can repair and replace rotted cedar boards seamlessly. When it wraps an entire house, rot is a thing of the past. Installs with face nailing and without knots or finger-joints. Ready to paint without priming, AZEK Bevel creates a traditional look with the freedom of low, low maintenance. **See page 21 for details.** Limited availability. Contact your sales representative.











Smooth, Brushed Finish



BOARD & BATTEN SIDING

MORE DESIGN OPTIONS

Traditionally, board and batten siding starts with wide vertical planks (boards), which are then joined together by thin vertical strips (battens) to cover the seams. Using AZEK Sheet as the board and AZEK narrow trim as the batten, design options in batten spacing are no longer limited to a specific size. AZEK Sheet and Trim used in board and batten is available in Classic White or with PaintPro Technology.









TRADITIONAL NARROW SPACING

The spacing of board and batten used to be determined by the width of the boards. The boards most common width was 8", which led to the traditional narrow spacing. Narrow batten placement at 8" or 12" works well on smaller, more compact exterior spaces.





Woodgrain Finish

ACCENT AND WIDE-WIDTH SPACING

With the popularity of the modern farmhouse design, batten spacing of 12" to 16" may be desired to enhance the modern approach and create a less cluttered look, especially on larger spans of siding.





Woodgrain Finish

AZEK SHINGLE

SHINGLE SIDING				
	7" Reveal Straight-Edge Shingle Panel	48" x 16" x 1/4"		
	6" Reveal Staggered-Edge Shingle Panel	48" x 15" x 1/4"		
	5" Reveal Straight-Edge Shingle Panel	48" x 12" x 1/4"		


CLASS-A-RATED FLAME SPREAD INDEX

AZEK® Shingle Siding not only boasts gorgeous aesthetics to improve the value of your home, but a Class A Flame Spread Rating to protect that value.




7" REVEAL STRAIGHT-EDGE SHINGLE PANEL

(43 panels per square)




6" REVEAL STAGGERED-EDGE SHINGLE PANEL

(50 panels per square)



5" REVEAL STRAIGHT-EDGE SHINGLE PANEL

(60 panels per square)



BOARD AND BATTEN

PAINTPRO TECHNOLOGY AZEK BOARD AND BATTEN

SHEET OPTIONS					
1/2" x 48" x 8'	Reversible Texture (Woodgrain/Smooth)				
1/2" x 48" x 10'	Reversible Texture (Woodgrain/Smooth)				
1/2" x 48" x 12' Reversible Texture (Woodgrain/Smooth					
BATTEN OPTIONS					
3/4" x 1.5" x 16' Reversible Texture (Woodgrain/Smooth)					
3/4" x 2.5" x 16'	Reversible Texture (Woodgrain/Smooth)				

CLASS-A-RATED FLAME SPREAD INDEX

AZEK Board and Batten brings a beautiful look, both traditional and contemporary, to your home, as a Class A Flame Spread Rating inspires confidence.



AZEK SHEET (ALL REVERSIBLE)

1/2" x 4' x 8' (Classic White or PaintPro)

1/2" x 4' x 10' (Classic White or PaintPro)

1/2" x 4' x 12' (Classic White or PaintPro)

CLASSIC WHITE AZEK BOARD AND BATTEN

SHEET OPTIONS						
1/2" x 48" x 8'	Reversible Texture (Woodgrain/Smooth)					
1/2" x 48" x 10'	Reversible Texture (Woodgrain/Smooth)					
1/2" x 48" x 12'	Smooth					
BATTEN OPTIONS						
3/4" x 1.5" x 18'	Reversible Texture (Woodgrain/Smooth)					
3/4" x 2.5" x 18'	Smooth					





AZEK TRIM

3/4" x 1 1/2" x 16' PaintPro (Reversible)

3/4" x 2 1/2" x 16' PaintPro (Reversible)

3/4" x 1 1/2" x 18' Classic White (Smooth Only)

3/4" x 2 1/2" x 18' Classic White (Reversible)

AZEK BEVEL

BEVEL SIDING	BEVEL SIDING				
Dimensions	Reveal	Length			
5.25" x 7/16"	4"	12'			

CLASS-A-RATED FLAME SPREAD INDEX

AZEK Bevel Siding not only boasts gorgeous aesthetics to improve the value of your home, but a Class A Flame Spread Rating to protect that value.



4" REVEAL BEVEL BOARD (25 boards per square)





TIMBERTECH® CLADDING

AZEK Exteriors joins with the power of TimberTech to offer Advanced PVC Cladding that delivers the full aesthetic experience of wood without the laborious, costly, and constant upkeep required with traditional lumber. TimberTech's one-of-a-kind polymer boards use technology and artistry to achieve a hyper-realistic wood look that lasts—that's why we back them with industry-leading warranties for both commercial and residential applications. Enjoy design flexibility with a variety of color choices, finishes, board profiles, and board widths.



Resistant

Resistant



Resistant



Durable, Less Long-Resistant Term Maintenance



UV Fade Resistance



Lightweight

LET YOUR DESIGNS SOAR

With an unmatched portfolio of diverse colors, woodgrain patterns, and board widths, the design potential with TimberTech® Cladding is nearly limitless. With moisture- and fade-resistant Advanced PVC technology, TimberTech Cladding boards protect the integrity of your exterior design for years to come. Build on the rich hues and textures of TimberTech Cladding to highlight an entryway, add design detail to a porch, or as one element among mixed building materials for a clean, dimensional finish.





















APPROVED FOR RESIDENTIAL AND COMMERCIAL

TimberTech® Cladding is the only PVC cladding brand in the industry that offers tongue-and-groove (closed-joint) cladding and square-shoulder (open-joint) cladding for commercial and residential use. TimberTech Cladding is approved for commercial, residential, and multifamily projects.

RESIDENTIAL WARRANTIES

TimberTech Advanced PVC Cladding is backed by an industry-leading Lifetime Limited Warranty and 50-year Fade & Stain Limited Warranty.





COMMERCIAL WARRANTIES

Bring the enduring beauty of TimberTech Cladding to your commercial builds with the confidence guaranteed from durable, low-maintenance materials and industry-best performance.






CLASS-A-RATED FLAME SPREAD INDEX

The Vintage® Collection boasts gorgeous aesthetics to improve the value of your home and a Class A Flame Spread rating to protect that value.





GET FREE CLADDING SAMPLES



VINTAGE COLLECTION®

The Vintage Collection offers the widest range of sophisticated color palettes and unique board widths in the industry, offering maximum design flexibility with options to fit any home's style. Defined by natural-looking colors that mimic the look of Ipe, teak, and other hardwoods and a subtle wire-brushed, low-gloss finish, this elegant collection ensures a truly authentic wood look.



LANDMARK COLLECTION

The Landmark Collection is designed to resemble popular hardwoods like white oak and walnut that have been crosscut for character-rich texture. Castle Gate offers the muted gray tones of weathered wood, but like all TimberTech® Cladding it is fade-resistant and needs no special maintenance. The crosscut grain with a matte finish delivers a soft yet textured look. Cascading colors define board-to-board color variation.








CLOSED-JOINT CLADDING

Sometimes referred to as "closed-joint," tongue-and-groove boards interlock together with ease, creating a solid barrier with a neat, smoothly finished look without gaps. Tongue-and-groove board sizes:





OPEN-JOINT CLADDING

The open joints between the cladding elements create a strong, linear design pattern while also functionally providing ventilation for proper air circulation. Square-shoulder board sizes:



TONGUE-AND-GROOVE	TONGUE-AND-GROOVE WIDE WIDTH 5½"		STANDARD WIDTH 31/8"		
Standard Thickness 1"	12'	16'	10'	12'	16'
COASTLINE®	•	•		•	•
WEATHERED TEAK®	•	•		•	•
MAHOGANY	•	•		•	•
DARK HICKORY	•	•		•	•
ENGLISH WALNUT	•	•		•	•
CYPRESS	•	•		•	•



SEE FOR YOURSELF AND ORDER A FREE SAMPLE TODAY



SQUARE-SHOULDER	NARROW WIDTH 3½"	STANDARD WIDTH 5½"	WIDE WIDTH 711/4"
VINTAGE Standard Thickness 1"	16'	16'	16'
COASTLINE®	•	•	•
WEATHERED TEAK®	•	•	•
MAHOGANY	•	•	•
DARK HICKORY	•	•	•
ENGLISH WALNUT	•	•	•
CYPRESS	•	•	•
LANDMARK Standard Thickness 1"	16'	16'	16'
FRENCH WHITE OAK		•	
CASTLE GATE		•	
AMERICAN WALNUT		•	
BOARDWALK®		•	

The cladding applications depicted in this brochure are for display purposes only and not for the purpose of validating the suitability, warrantability, or safety of any particular installation or application of the product. Always consult AZEK®'s Installation Instructions to ensure proper installation.

Depending on environmental conditions, TimberTech cladding colors may appear to change over time as part of the natural weathering process and consistent with applicable Fade & Stain Warranties.



CORTEX HIDDEN FASTENERS

The Cortex® hidden fastening system keeps the focus on the warm, authentic wood aesthetics that complement the entirety of the exterior design and not on the installation method.









EFFICIENT AND ENDURING TRIM & MOULDING

AZEK® offers more trim sizes and solution-based moulding profiles than any other brand on the market. By listening to the valued insight of contractors, architects, and homeowners, we solve exteriors problems. Installation is simplified. Labor requirements are reduced. Design integrity is uncompromised. We are dedicated to delivering reliable, consistent products you can depend on to grow your business. AZEK PVC products serve as the exteriors solution you need — and your project deserves.



Resistant

Resistant



Resistant



Weather Resistant



Durable, Less Long-Term Maintenance





PaintPro® Designed for Paint

WHITE OR READY-TO-PAINT TRIM

AZEK OFFERS STYLE-BASED SOLUTIONS

Ready-to-Install Classic AZEK® Trim: Crisp, Bright White

The ultimate exterior matchmaker, AZEK Trim comes ready to install in brilliant white with two finish options (smooth and woodgrain) to complement and instantly elevate any surrounding. AZEK Classic Trim can be painted — but because paint is not required for a clean, finished look, installations go faster.



Ready-to-Paint PaintPro **Enhanced Trim:** The Best Substrate for Paint

If your project requires painting trim, AZEK PVC Trim with PaintPro technology is the perfect choice. Ready to paint. No sanding. No priming. PaintPro Trim maintains the long-lasting, low-maintenance benefits of PVC trim while adding enhanced paintability. Paint bonds securely for lasting adhesion that resists splits, chips, and flakes.



*PaintPro must be painted within 180 days of installation. Visit AZEKexteriors.com/products/trim/trim-boards/paintpro-trim

AZEK TRIM OUTPERFORMS WOOD TRIM

AZEK Trim is made from 100% engineered polymer to provide a durable, long-lasting building material that is far more resistant to the elements than wood. No sealants are needed on surfaces or cut ends; every inch of our trim is equally protected against moisture. With superior uniformity, durability, workability, beauty, and much more, AZEK PVC Trim is the better choice for exteriors than wood.

	AZEK PVC TRIM	WOOD TRIM
UNIFORMITY		
Square edges	*	*
No knots, no waste; every inch usable	*	
DURABILITY		
Will not rot, split, splinter, delaminate, warp, or swell excessively from moisture	*	
Impervious to moisture and insect-resistant	*	
Suitable for ground and masonry contact	*	
Lifetime limited warranty	*	
Handles easily without breakage	*	*
WORKABILITY		
Use standard woodworking tools	*	*
Safely milled, shaped, and molded without special safety equipment	*	*
Can be heat-formed	*	
Fasten close to edge without predrilling	*	
BEAUTY		
Readily accepts paint*	*	*
Can be crafted for unique applications	*	4
EXTRAS		
Available in trim boards, sheets, cornerboards, beadboard, and mouldings	*	
Special labor-saving solution profiles available	*	

* ALL PRODUCTS MEET CRITERIA **■** SOME PRODUCTS MEET CRITERIA *PaintPro must be painted within 180 days of installation. Visit AZEKexteriors.com/products/trim/trim-boards/paintpro-trim.



GET FREE TRIM SAMPLES WITH PAINTPRO® TECHNOLOGY



All AZEK Trim is long-lasting, moisture-resistant, and keeps its appearance with very little maintenance. Easily mill and router our trim, or heat form it before painting, for exquisite customized or curved applications. Classic AZEK Trim's brilliant white complements any exterior while AZEK Trim with PaintPro® was made to be painted.

PROTECTIVE FILM

KEEPS CLASSIC WHITE TRIM CLEAN

Classic AZEK Trim with protective film is available for smooth and woodgrain finishes. To ensure it looks as beautiful on your client's home as it does when it leaves our facilities, a protective film preserves AZEK Trim's crisp white semi-matte finish.

NOMINAL THICKNESS	NOMINAL WIDTH						
	4	5	6	8	10	12	16
5/4	SW	SW	SW	SW	SW	SW	SW
4/4	SW	SW	SW	SW	SW	SW	SW
5/8	SW	SW	SW	SW	SW	SW	SW

The film protects AZEK Trim through every production phase:

 Shipping Storage Repackaging Handling

Installation

AZEK Trim with protective film should be kept dry prior to installation. Do not expose film to direct sunlight for extended periods. Protective film can be removed prior to, during, or immediately after installation.



AZEK® TRIM

8/4 X THICKNESS						
NOMINAL	ACTUAL	18'				
8/4 x 4	1 ½" x 3 ½"	S				
8/4 x 6	1 ½" x 5 ½"	S				
8/4 x 8	1 ½" x 7 ½"	S				
8/4 x 10	1 ½" x 9 ½"	S				
8/4 x 12	1 ½" x 11 ½"	S				

6/4 X THICKNESS				
NOMINAL	ACTUAL	20'		
6/4 x 4	1 ¼" x 3 ½"	W		
6/4 x 6	1 ¼" x 5 ½"	W		
6/4 x 8	1 ¼" x 7 ½"	W		
6/4 x 10	1 ¼" x 9 ¼"	W		
6/4 x 12	1 ¼" x 11 ½"	W		

5/4 X THICKNESS						
NOMINAL	ACTUAL	12'	16'	18'	20'	
5/4 x 4	1" x 3 ½"	SW	Р	SW	SW	
5/4 x 5	1" x 4 ½"	SW		SW	SW	
5/4 x 6	1" x 5 ½"	SW	Р	SW	SW	
5/4 x 8	1" x 7 ½"	SW	Р	SW	SW	
5/4 x 10	1" x 9 ½"	SW	P	SW	SW	
5/4 x 12	1" x 11 ¼"	SW	Р	SW	SW	
5/4 x 16	1" x 15 ¼"	SW	Р	SW	SW	

4/4 X THICKNESS				
NOMINAL	ACTUAL	12'	16'	18'
1 x 2	¾" x 1 ½"		Р	SW
1 x 3	¾" x 2 ½"		Р	
1 x 4	³¼" x 3 ½"	SW	Р	SW
1 x 5	¾" x 4 ½"	SW		SW
1 x 6	¾" x 5 ½"	SW	Р	SW
1 x 8	¾" x 7 ¼"	SW	Р	SW
1 x 10	¾" x 9 ¼"	SW	P	SW
1 x 12	¾" x 11 ¼"	SW	Р	SW
1 x 16	¾" x 15 ¼"	SW	Р	SW

5/8 X THICKNE	ss	
ACTUAL	12'	18'
5/8" x 3 ½"	SW	SW
5/8" x 5 ½"	SW	SW
5/8" x 7 ½"	SW	SW
5/8" x 9 ½"	SW	SW
5/8" x 11 ½"	SW	SW
5/8" x 15 ½"	SW	SW









AZEK SHEET

Applications over 16" wide are easy with AZEK Sheet. Use Sheet for bay windows, dormers, and raised panels.

ATM Sheet

SHEET					
ACTUAL	8	10'	12'	18'	20'
³ / ₈ " × 4'	SW	SW	S	S	
½" x 4'	SWP	SWP	SP	S	
⁵ / ₈ " × 4'	S	S	S	S	
¾" x 4'	SWP	SWP	S	S	
1" x 4'	S	S	S	S	S

AZEK-TO-MILL (ATM)

ATM's thick profile makes it an ideal material for fabrication. Its consistent density offers a superior product for milling operations.

AZEK-TO-MILL					
ACTUAL	8.	10'	12'	18'	20'
1 ½" x 9 ½"				S	
1 ½" x 3 ½"				S	
1 ½" x 5 ½"				S	
1 ½" x 7 ¼"				S	
1 ½" x 9 ½"				S	
1 ½" x 11 ¼"				S	
1 ½" x 48" Sheet	S				
1 ½" x 48" Sheet	S	S	S		S



FLANGE SLOTTED & RABBETED TRIM

Flange Slotted Window Trim and Rabbeted Trim are engineered to create beautiful, consistent, and long-lasting window surrounds by removing the installation challenges. Rabbeted trim is ideal for replacing existing trim. The cut flange easily covers existing siding. Ideal for new construction, the Flange Slotted and Rabbeted Trim has a 3/4" pocket, and, if using a vinyl window, the nailing fin will be hidden. The relief on the back of the board allows it to sit over the nailing flange without shimming.

FLANGE SLOTTED TRIM				
NOMINAL	ACTUAL	18'		
5/4 x 4" Slotted	1" x 3 ½"	SW		
5/4 x 6" Slotted	1" x 5 ½"	SW		
RABBETED TRIM (1" x	1" channel)			
NOMINAL	ACTUAL	18'		
5/4 x 4	1" x 3 ½"	SWP		
5/4 x 6	1" x 5 ½"	SW		
5/4 x 8	1" x 7 ½"	SW		
FLANGE SLOTTED ANI	RABBETED TRIM			
NOMINAL	ACTUAL	18'		
5/4 x 4" Slotted & Rabbeted	1" x 3 ½" with ¾" Rabbeted Channel	sw		
5/4 x 6" Slotted & Rabbeted	1" x 5 ½" with ¾" Rabbeted Channel	SW		

FLANGE SLOTTED TRIM

The flange slot helps trim sit flush over a window's nailing flange.



This 1" trim is perfect for end wall terminations.

FLANGE SLOTTED RABBETED TRIM WITH WINDOW AND SIDING POCKET

The ultimate trim to build a neat, professional window surround.

CORNERBOARDS

AZEK Cornerboards offer faster installations and a seamless finish to complement any home exterior. Unlike two-piece cornerboards, which attract dirt in the seam, our one-piece cornerboards feature smooth outside edges to keep dirt away during installation.

CORNERBOARD					
NOMINAL	ACTUAL	10'	20'		
5/4 x 4" x 4"	1" x 3 ½" x 3 ½"	SW	SWP		
5/4 x 6" x 6"	1" x 5 ½" x 5 ½"	SW	SWP		
5/4 x 8" x 8"*	1" x 7 1/4" x 7 1/4"		S		
RABBETED CORNER	RBOARD				
NOMINAL	ACTUAL	10'	20'		
5/4 x 4" x 4"	1" x 3 ½" x 3 ½"	SW	SW		
5/4 x 6" x 6"	1" x 5 ½" x 5 ½"	SW	SW		
5/4 x 8" x 8"*	1" x 7 1/4" x 7 1/4"		S		
INSIDE CORNERBOARD					
NOMINAL	ACTUAL	10'	20'		
2" x 2"	1 ½" x 1 ½"		Р		

Cornerboard

Used with fiber cement and or wood siding. Caulk would be used when siding butts up against square trim face.



Rabbeted Cornerboard

Most often used with vinyl siding, where siding tucks behind trim. NO caulk is needed.



Seamless Cornerboards for Quick, Clean Installation

The Problem

Multiple pieces requires more time and labor. Caulk is required to combine two trim boards. Other materials are not approved for ground and masonry contact.



The Solution

Cornerboard means no seams, no caulk, and no paint required. Lengths up to 20' make installation faster.











PaintPro Technology (P)



Save on Installation Time & Cost Without Compromising Beauty

The Problem

If using fiber cement, multiple pieces are needed and it is not approved for ground masonry contact.

The Solution

One-Piece Board is moisture-resistant, approved for ground contact.



ONE-PIECE SKIRT BOARD

The perfect transition between siding and grade, the AZEK® One-Piece Skirt Board is designed to eliminate the need for a separate starter strip, skirt board, or flashing. In addition to its consolidated three-in-one function, the slanted top of the board helps drain water away from the structure and allows for easy application of paint.

ONE-PIECE SKIRT BOARD						
ACTUAL	16'	18'				
¾" x 7 ¼"		SW				
¾" x 9 ¼"		SW				
1" x 5 ½"		SW				
1" x 7 ½"		SW				
1" x 9 ½"	Р	SW				
	%" x 7 %" %" x 9 %" 1" x 5 %" 1" x 7 %"	%" x 7 %" %" x 9 %" 1" x 5 %" 1" x 7 %"				



One-Piece Skirt Board No starter strip needed. One-piece design makes this profile ideal for painting.



PaintPro

Technology (P)

INTEGRATED DRIP EDGE

Designed to assist with water management efforts around doors and windows. Comes in two pieces with a reversible trim board; one side in smooth finish and the other in woodgrain finish. Routered to accept a drip edge for channeling water away from window and door surrounds. This profile design is also ideal for band board installations.

INTEGRATED DRIP EDGE				
NOMINAL	ACTUAL	18'		
5/4 x 4	1" x 3 ½"	W		
5/4 x 6	1" x 5 ½"	W		
1 ¼" nailing flang	e length			
1/8" drip edge ove	erhang			



Window and door surrounds assemble faster with the integrated nailing flange.



UNIVERSAL SKIRT BOARD

A two-piece skirt board in reversible classic smooth or woodgrain finish designed to assist with water management and material transitions. Routered with a universal siding interface for quick and easy installation. Unlike other skirt boards, the AZEK Universal Skirt Board works well with fiber cement, vinyl, or wood siding.* No starter strips needed.

UNIVERSAL SKIRT BOARD				
NOMINAL	ACTUAL	18'		
5/4 x 6	1" x 5 ½"	W		
5/4 x 8	1" x 7 ½"	W		
5/4 x 10	1" x 9 ½"	W		
5/4 x 12	1" x 11 ¼"	W		

¹ ½" nailing flange length

Universal Skirt Board

No starter strip needed, saves time on installation.



^{1/4&}quot; drip edge overhang

^{*}Universal Skirt Board works with many products; ensure compatibility before purchase





Wood and fiber cement corners require multiple boards and extra install time.



The Solution

One-piece inside and outside cornerboards with a J-Channel install quickly for a clean finish.



The Problem


Requires the purchase of both the trim board and J-Channel.



The Solution

AZEK® J-Casing has an integrated J-Channel and doesn't require paint for protection, reducing installation time and cost.





J-CASING

AZEK® J-Casing offers the most beautiful and seamless transition between siding and trim. Engineered to reduce labor and save costs by eliminating the need for field-applied paint and caulk.

J-CASING				
DESCRIPTION	ACTUAL	12'	16'	18'
1 x 4 J-Casing	1 1/8" x 3 ½"		S	S
1 x 6 J-Casing	1 ½" x 5 ½"	S		


BRICK MOULD J-CASING		
DESCRIPTION	ACTUAL	18'
Brick Mould J-Casing	1 ¼" x 2"	S



J-CHANNEL QUICK CORNER**

Installed with hidden fasteners, completely eliminating the need for excessive face nailing and touch-up. Use with multiple types of sidings.

J-CHANNEL QUICK CORNER OUTSIDE CORNER		
DESCRIPTION	ACTUAL	20'
4 x 4 J-Quick Corner	1" x 3 ½" x 3 ½"	S
6 x 6 J-Quick Corner	1" x 5 ½" x 5 ½"	S
J-CHANNEL QUICK CORNER INSIDE CORNER		
DESCRIPTION	ACTUAL	20'
3 x 3 J-Quick Corner	³/8 " x 2 ½" x 2 ½"	S



SOFFIT, SOLID AND VENTED

Available in two profiles, solid and vented. Both provide climate-resistant material for smooth, beautiful finishing to match any home exterior. The vented soffit has 8" of venting and 4" of solid pattern that provides 10" of free air space per lineal foot to meet or exceed most building codes for ventilation. Vents are cut at an angle to prevent insects from nesting; no additional screening necessary.

SOFFITS		
ACTUAL	VENTED 18'	SOLID 18'
½" x 12"	S	S
½" x 16"	S	S





Soffit Solid and Vented

FRIEZE & FASCIA

Use the frieze board and notched fascia for an efficient, easy-to-install soffit system. Both have a 1/2"-deep groove to smoothly join with soffits. The notched fascia requires no flashing or cover.

NOTCHED FASCIA		
NOMINAL	ACTUAL	18'
4/4 x 8"	¾" × 7 ¼"	S
FRIEZE BOARD		
NOMINAL	ACTUAL	18'
5/4 x 6"	1" x 5 ½"	S







AZEK® THREE-PLUS-ONE COLUMN WRAP

This easy-to-install Three-Plus-One Column Wrap profile saves time and installation costs. Three connected panels and a fourth "locking" panel fit easily and securely around a structural support with press-fit seams and clean corners.

THREE-PLUS-ONE COLUMN WRAP				
NOMINAL	INSIDE DIMENSION	OUTSIDE DIMENSION	8. 9	10'
4 x 4	3 ¾" x 3 ¾"	4 ¾" x 4 ¾"	S	S
6 x 6	5 ¾" x 5 ¾"	6 ¾" x 6 ¾"	S	S
8 x 8	7 ¾" x 7 ¾"	8 ¾" x 8 ¾"	S	S



Smooth Finish (S)



Column Wrap Installs quickly with three interlocking boards and a precut locking panel.

TAPERED COLUMN

The four-piece AZEK Tapered Column combines a craftsman aesthetic with a column wrap's ease of installation. Four precut panels each feature a frictionfit miter lock joint to ensure a secure fit and the correct angle for each panel. Includes squaring corners and 3 1/2" decorative skirt pieces for the cap and base of each column to fasten and accessorize.

TAPERED COLUMN WITH BASE SKIRT		
ACTUAL	5'	6'
12" base / 8" cap	S	S
16" base / 12" cap	S	S







AZEK® THREE-PLUS-ONE COLUMN WRAPACCESSORIES

Embellish your Three-Plus-One Column Wraps with moulding kits and accent wraps. Accessory kits can be purchased to enhance the column and give you the decorative look you desire.

THREE-PLUS-ONE COLUMN WRAP ACCESSORIES		
DESCRIPTION	4"	6"
TRIM KIT - BASE MLDG	S	S
TRIM KIT - BED MLDG	S	S
TRIM KIT - BED MLDG XL	S	S
TRIM KIT - CROWN MLDG	S	S
TRIM KIT - CROWN MLDG XL	S	S
ACCENT WRAP 10"	S	S



Smooth Finish (S)

Column Wrap Accessories

Kits connect with precut dovetails to speed installation on decorative details.







Plentiful Options for Ceilings and Walls

Beadboards and Beaded Sheets offer broad and beautiful coverage for ceilings under raised decks or above the porch. Tongue-and-groove profiles can be oriented on walls horizontally or vertically. Just like all AZEK® Trim and Moulding, every product for exterior ceilings and walls is made from moisture-resistant, low-maintenance PVC and designed to elegantly complement and elevate the entire exterior.



Beaded Sheet

BEADBOARD E & CB

AZEK Beadboard (E & CB) is certified UL580 class 90 wind gust uplift-resistant, making it ideal for use in coastal areas. It is reversible and perfect for wainscoting, with an edge and center bead on one side and a v-groove on the other.

BEADBOARD	
ACTUAL	18'
½" x 3 ½"	S
¾" x 3 ½"	S
¾" x 5 ½"	s

BEADED SHEET	
ACTUAL	8'
½" x 4'	s





Beadboard (E & CB)

Add character to any wall or ceiling with the classic and cozy look of beadboard.



REVERSIBLE BEADBOARD

AZEK® Beadboard is reversible with an edge and center bead on one side and a V-groove on the other, perfect for wainscoting and porch ceilings.

BEADBOARD	
ACTUAL	18'
5/8" x 3 ½"	S
½" x 5 ½"*	S

*Features a nailing flange for easier installation.



Smooth Finish (S)

Reversible Beadboard V-Groove provides wider planks and a more formal aesthetic compared to beadboard on the

reverse side.



SHIPLAP & NICKEL GAP

Bring the contemporary look of wider planks with either shiplap or nickel gap. Both deliver similar finished looks, but the tongue-and-groove nickel gap and reversible WP4 allow for hidden fasteners. Each profile type is suitable for horizontal and vertical orientation.

TONGUE-AND-GROOVE SHIPLAP		
ACTUAL	18'	
¾" x 5 ½"	S	
¾" x 7 ¼"	S	
TONGUE-AND-GROOVE NICKEL GAP/WP4 (REVERSIBLE)		

TONGUE-AND-GROOVE NICKEL GAP/WP4 (REVERSIBLE)	
ACTUAL	18'
¾" x 5 ½"	S





Shiplap

Combine with overlapping "rabbeted" joints.



Nickle Gap

Tongue-and-groove joints and reverse side offers V-groove aesthetic.

AZEK® MOULDING

With over 30 different profiles to mix and match, you can customize any build with a distinctive look.




THE MOST BEAUTIFUL, HIGH-PERFORMANCE MOULDING LINE AVAILABLE

With crisp, architectural details reminiscent of premium wood mouldings, high-performance AZEK® Moulding will last beautifully without the maintenance hassles associated with wood. Backed by AZEK's promise of high quality and lasting performance, AZEK Moulding will retain a like-new appearance despite the tests of time and weather. AZEK Moulding offers greater stability and predictability when fastening. Unlike traditional wood moulding, AZEK Moulding resists moisture and insect damage and will not rot or split.

CROWN PROFILES

Crown moulding profiles are typically decorative mouldings designed for use along the intersection of a wall or ceiling. They may be combined with other mouldings to create a built-up profile.






DETAIL & SILL/DRIP PROFILES

AZEK® Drip profiles can be used as a water table or brick ledge for separation and watershed against two different materials. AZEK Sill profiles shed water and offer architectural detail.










HISTORIC SILL AZM-6930


LENGTH: 16'

LARGE SILL NOSE AZM-7979 LENGTH: 16'


















WATER TABLE AZM-6935 LENGTH: 18'




QUARTER ROUND AZM-105 LENGTH: 16'




SCOTIA AZM-93 LENGTH: 16'

CASING PROFILES


Use AZEK® Casing Profiles as decorative moulding against a wall, door, or window to create surrounds. Elevate your framing with style and durability.




BAND MOULDING AZM-217 LENGTH: 16'




BACK BAND AZM-6931 LENGTH: 16'



BASE CAP AZM-164 LENGTH: 16'




ADAMS CASING AZM-97 LENGTH: 16'




BRICK MOULD AZM-180 LENGTHS: 16', 17' and 18'*




COLONIAL BASE CAP AZM-163 LENGTH: 16'









SHINGLE MOULD AZM-210 LENGTH: 16'




RAKE MOULDING AZM-287 LENGTH: 16'



FLUTED/REEDED AZM-606 LENGTH: 16'



GARAGE DOOR THERMOSTOP AZM-6936 LENGTHS: 7', 9', and 16'



WAINSCOT CAP AZM-284 LENGTH: 16'





^{*18&#}x27; Brick Mould (AZM-180) is available in full units only and cannot be ordered via the Pick & Pack program.



CREATIVE FREEDOM MEETS INNOVATIVE EFFICIENCY WITH AZEK® SURROUND DESIGNS

Drawing inspiration from architectural archives and a diverse trim collection, AZEK® designers created a series of classic window and door surround designs to make style choices simple. These trim and moulding profiles are built up with varying shadow-line compositions and varying weights and widths, then matched with complementary sill profiles to give each surround its own character. Single-structure, pre-milled profiles reduce costly carpentry and assembly steps. AZEK Surround designs bring sophisticated styling and moisture management to your homes without breaking the budget.





STATESIDE

This surround grouping features horizontal stepping, casting distinct shadow lines. With its tall head and cap combination, the Stateside is best suited for large window or door arrangements, especially on historic home designs that call for dramatic horizontal definition. Match with the Historic Sill or Window Sill Nose.

TO CREATE THE STATESIDE SURROUND, **USE THE PROFILES BELOW**



CAP: 6/4 x 2 1/2 DRIP CAP: 5/4 x 4 HEAD: 5/4 x 6 CROSS STRIP: 4/4 x 2 CASING: 5/4 x 4 or 6 APRON: 5/4 x 4 or 6



HISTORIC SILL AZM-6930 LENGTH: 16'

OR USE

AZM-7974

LENGTH: 12'





HISTORIC RAMS HEAD

This assembly replicates a classic surround with subtle detail. An attractive one-piece crown mould and wide head makes installation a breeze. The Historic Rams Head surround delivers an intriguing yet simple aesthetic and is commonly used in Arts and Crafts-styled homes. The Historic Sill should be used with this surround.

TO CREATE THE HISTORIC RAMS HEAD SURROUND, USE THE PROFILES BELOW



CROSSHEAD PEDIMENT AZM-6216 LENGTH: 18'





CASING: 5/4 x 4 APRON: 5/4 x 4





HISTORIC SILL AZM-6930 LENGTH: 16'











DOUBLE-CROSS HEAD

For clean, versatile styling, the Double-Cross Head surround accentuates strong horizontal shadow lines above and below the smooth-head member. The effect complements other trim detailing around the home without appearing overly decorative. The Window Sill Nose assembly is recommended.

TO CREATE THE DOUBLE-CROSS HEAD SURROUND, USE THE PROFILES BELOW



CAP: 4/4 x 2 HEAD: 5/4 x 6 CROSS STRIP: 4/4 x 2 CASING: 5/4 x 6 APRON: 5/4 x 4 or 6



WINDOW SILL NOSE AZM-7974 LENGTH: 12'



CROWNED BANDIT

The Crowned Bandit surround is ideal when a stronger vertical presence or higher level of detail is desired versus a linear approach. It's typically used to complement other moulded elements found in cornices, frieze banding, and columns. Finish with the Large Historic Sill profile.

TO CREATE THE CROWNED BANDIT SURROUND, USE THE PROFILES BELOW



HISTORIC **BACK BAND**

Featuring an edge detail around the casing and head elements, the defined shadowing in the Historic Back Band adds depth and width to window and door treatments. Use either the Historic Sill or moulded apron assembly to enhance this combination.

TO CREATE THE HISTORIC BACK BAND SURROUND, USE THE PROFILES BELOW



CLEAN & SIMPLE

While compatible for a wide variety of traditional styles, the Clean and Simple surround is best suited for small- to mediumsized windows. This assembly is a cost-effective solution that creates smooth, understated framing. The Window Sill Nose or moulded apron assembly are recommended for this assembly.

TO CREATE THE CLEAN AND SIMPLE SURROUND, USE THE PROFILES BELOW







CORTEX® FOR AZEK® TRIM

Save time and labor costs with Cortex for AZEK Trim. The only concealed fastening system that quickly and easily fastens AZEK Trim to your building project, Cortex comes with plugs on collated strips to make fastening faster.

- Fast and easy: eliminates the need to caulk, sand, and paint each nail hole
- Plugs made out of same AZEK trim material, which keeps trim smooth and uniform
- · Can be painted (available in Classic AZEK Trim and PaintPro Trim)
- · Guaranteed corrosion resistance for life of the project; ACQ approved
- The felt tip on the unique bit prevents surface marring while driving fasteners securely below the trim surface
- · Available in smooth and woodgrain

Better Fastener, Better Aesthetics



Make installation faster and easier with collated strips of Cortex plugs.



When using PaintPro Trim, choose PaintPro Cortex plugs and paint to match trim color.



Drive fastener at 90° angle to preset level below trim surface.



Place plug with trim surface side-up into hole. Gently tap plug until flush with the trim.



ADHESIVES & TOOLS

Use adhesives, sealants, and accessories engineered specifically to bond with PVC products. The AZEK® solvent-free structural adhesive system is designed for fast, easy installation and enduring strength.

Right Product, Right Application



Use AZEK Cellular **PVC** Cement for securing joints and other trim connections requiring tight compression.



Use AZEK Fast Cure and Slow Cure to fill gaps and other trim connections that do not require tight compression. Use a putty knife to distribute and sand when dry for a smooth finish.



Apply Fast Cure or Slow Cure on trim with rough edges, then sand for a smooth finish.



Use AZEK Nail Eraser to smooth surfaces marked by nails with small surface heads.



ADHESIVES

CELLULAR PVC CEMENT

Clear, contact-style adhesive bonds with PVC in a fast-working time. Ideal for securing joints. Creates a powerful and reliable material bond with no sanding or scraping required.

Squeeze Bottle 4 oz: AADB0040Z, 8 oz: AADB0080Z

Container with Applicator 4 oz: AAD0040Z, 8 oz: AAD0080Z. 16 oz: AAD0160Z, 32 oz: AAD0320Z, 128 oz: AAD1280Z, 640 oz: AAD6400Z

- 24-hour curing time
- · Clamp 24-48 hours for best results
- Water-soluble for easy cleanup when surfaces are still wet
- · Convenient applicator built into lid
- Use AZEK Adhesive to connect trim when a tight compression is required, such as connecting trim end-to-end (scarf joints) and at corners (miter joints)





FILL & FLEX

Use for expansion and contraction joints on PVC trim boards. Seals gaps around windows and doors. Slow curing, one-part urethane-based sealant with high level of flexibility and elongation to absorb expansion and contraction from heat or cold.

AAD300MLFF

- · Premium-grade TiO² pigments
- · Resists long-term yellowing
- · Allows ample work time
- · 300 ml



FAST CURE 220 ML

AAD220MLFCS

FAST CURE 50 ML

AAD50MLFCS

- · White, two-part acrylic-based adhesive ideal for bonding AZEK to AZEK products; also bonds PVC to wood, metal, brick, vinyl, glass, and other PVC
- · Work time 4-7 minutes at 70°F after mixing with Qwik-Mixer; fully cures in 24 hours
- Fills nail holes and gaps up to 1/8"
- · Requires Qwik-Mixer for easy mixing and dispensing



SLOW CURE 220 ML

AAD220MLSCS

SLOW CURE 50 ML

AAD50MLSCS

- · White, two-part acrylic-based adhesive ideal for bonding AZEK® to AZEK products; also bonds PVC to wood, metal, brick, vinyl, glass, and other PVC
- · Work time 15-25 minutes at 70°F after mixing with Qwik-Mixer; fully cures in 24 hours
- Fill nail holes and gaps up to 1/2"
- · Requires Qwik-Mixer for easy mixing and dispensing



ACCESSORIES



MANUAL 50 ML DISPENSE GUN

Made of highly engineered plastic to be lightweight and powerful. Easy loading breech provides secure cartridge fit. AAD50MLMG



MANUAL 220 ML DISPENSE GUN

Its 26:1 mechanical advantage dispenses high- and low-viscosity adhesives with less user fatigue. Designed to maximize durability.

AAD220MLHF



PVC TRIM NAIL ERASERS

Fills finish nail holes in PVC trim. White color perfectly matches AZEK trim. Resists yellowing.

.5 oz: AADNEBLIS



PLASTIC JOINING BISCUIT (50/PK)

PVC-compatible biscuits. Easy way to join, seal, and finish PVC Trim. BISCUIT PACK OF 50: AADPJB

Industry-Leading Warranties

application. 24 per pack. 50 ml: AAD50MLSQM

220 ml: AAD220MLQM

QWIK-MIXERS (24/PK)

Required dispenser for Fast Cure and Slow

Cure AZEK adhesive products. The resin and

catalyst blend together as they travel down

the tube to the applicator tip. Ensures 1:1

ratio mix and provides easy adhesive

With decades in the business and dedicated investments to research and development, AZEK makes it our mission to provide the best materials on the market. We stand behind the integrity of our siding, cladding, trim, and moulding with a Lifetime Limited Warranty that covers corrosion, rotting, splintering, delamination, or swelling excessively from moisture. All AZEK products are also easy to maintain and resistant to mold, mildew, and moisture damage. For more information, visit AZEKexteriors.com/warranty.

Contractor and Builder Information

AZEK Trim, Siding, and Moulding and TimberTech Cladding should be installed using the same good building principles used to install wood trim and mouldings and in accordance with the local building codes and established installation quidelines. AZEK accepts no liability or responsibility for the improper installation of AZEK products.

AZEK Siding, Trim, and Moulding may not be suitable for every application and it is the sole responsibility of the installer to be sure that AZEK Siding, Trim, and Moulding, and TimberTech Cladding are fit for the intended use. Since all installations are unique, it is also the installer's responsibility to determine specific requirements in regard to each application. AZEK recommends that all applications be reviewed by a licensed architect, engineer, or local building official before installation.

Technical information and AZEK Trim, Siding, and Moulding installation guides are available at AZEKexteriors.com/resources or from a local AZEK dealer. For further assistance, please call AZEK Customer Service at 1.800.910.3545 or visit our website at AZEKexteriors.com.



ONLINE RESOURCES

Check out these tools and tips for everything AZEK Exteriors. They're online and available 24/7.




NEW AZEK® VISUALIZER

Mock up trim, siding, and color options virtually, share images with others, or even create professional proposals.



DESIGN AND SHARE ONLINE







AZEK Trim is best for any siding job

AZEK J-Channel Trim works with vinyl, PVC, fiber cement, and wood composite siding products.

THE J-CHANNEL TRIM SERIES THE FINISHING TOUCH FOR ANY SIDING

LIFETIME





Problem

Common vinyl casing is not only unattractive, but requires the purchase and installation of additional J-Channel.

Solution

One-piece J-Casing requires no paint for protection and installs quickly with no unsighly fasteners on the face of the trim.



Problem

Standard corner assembly requires multiple boards, messy caulk, and extra time and labor to assemble.




One-piece corner boards with a J-Channel install quickly for a clean finish. Smooth seams, no caulk or paint required.

















PREMIUM SIDING NOW HAS A FASTER, EASIER TRIM SOLUTION

Beautifully complement any style of siding for a fresh, clean, finished look. Our trim is easy to install, saving you time and money. Add a new level of aesthetics that's durable, protected, and flexible with the J-Channel Trim Series from AZEK Exteriors. Easily add AZEK Mouldings for a personal touch in any installation for even greater curb appeal.

THE AZEK® J-CHANNEL TRIM SERIES:

A CLOSER LOOK

AZEK J-Channel Trim Series is a suite of products, including J-Casing and J-Quick Corner™, expressly designed to complement premium siding. Here's why it appeals to contractors and homeowners:

ENHANCED AESTHETICS

Architectural designs and seamless finishing elevate beauty.

EASY INSTALL

Eliminate extra steps in the process and save time.

COST SAVINGS

Faster installation means greater work efficiency and labor savings.

LOW MAINTENANCE

Long-term durability eliminates the need for regular scraping, painting, and caulking.

No Caulk, No Paint, Fewer Steps— Faster Installation

- One-piece corner and window trim installs quickly.
- Corner maintains its shape without seams opening, no caulking required.
- Homeowners enjoy a more aesthetically pleasing look.
- Approved for ground contact; no rot worries.



AZEK® J-CHANNEL SERIES J-CASING


AZEK® J-Casing offers the most beautiful and seamless transition between your siding and trim. These trims have also been engineered to reduce labor, the need for field-applied paint, and extra J-Channels.



Window Casing


Clean, uniform details instantly upgrade the curb appeal of a home. AZEK J-Channel around window frames allows for siding to beautifully and seamlessly transition into the window casing without additional pieces or painting. Save time on installation and eliminate purchasing extra pieces for a look that complements its surroundings.





Band Board


Band boards provide neat transitions between house levels or foundation and framing. AZEK J-Channel Trim installs easily alongside any type of siding, and because it's PVC, water, ground, or masonry contact have no negative effect.





Frieze

AZEK® J-Casing can be used as a frieze to finish your siding where it meets your soffits. Installing AZEK J-Casing as a frieze board is easy, adds beauty and personality, and eliminates the need for painting over time.






5

 $\mathbf{4}$

AZEK® J-CHANNEL SERIES J-QUICK CORNER™

This corner is installed with hidden fasteners, completely eliminating the need for excessive face nailing and touch-up. It is also versatile enough to be used with multiple types of sidings.



No Messy Caulk Work




AZEK J-Quick Corner encases the siding to ensure ends are covered with no additional caulk needed.



Traditional corners require caulk, which over time can shrink and gather dirt, leaving the substrate prone to water damage.

Inside Corner

Inside corners are where every eighth-inch variation and two degrees out of plumb seems to show up. Caulk it and forget it? No, use AZEK J-Channel Inside Corner. Get a crisp, clean look with water management that's long lasting and carries AZEK Trim's Lifetime Limited Warranty.






Outside Corner

Complement your siding with sharp, elegant corners that install quickly, reduce costs, and avoid future problems.

J-Quick Corner one-piece corner board features an integrated J-Channel that trims up corners without using caulk.





6



TIMBERTECH® CLADDING



TimberTech

PVC CLADDING

BY AZEK

THE MOST AUTHENTIC LOOKING HARDWOOD ALTERNATIVE

TimberTech BY AZEKS



For exterior materials on high-end, luxury buildings, there are two nonnegotiables: beauty and functionality. TimberTech Advanced PVC Cladding delivers on both, capitalizing on the strength of both the AZEK Exteriors and TimberTech brands.

THE BEAUTY OF WOOD

TimberTech has unmatched technology and methods to create the most realistic, authentic hardwood appearance. Best known for high-end decking, TimberTech boards deliver the beauty, textures, and colors of real wood within an Advanced PVC material. Unlike wood, however, our proprietary materials are essentially maintenance-free, incredibly durable, and performance warranted for decades.

BUILDING EXTERIORS EXPERTISE

AZEK Exteriors brings decades of experience with functional and decorative components of a building exterior, including premium siding and trim, detailed mouldings, and innovative engineered casings and water management solutions. TimberTech Cladding offers many choices in colors, widths, and installation profiles to fulfill most any design requirements.

You can be confident specifying TimberTech Cladding in your designs. And your clients will appreciate the ingenuity of an exterior solution built to endure beautifully.





RESIDENTIAL WARRANTIES

TimberTech Advanced PVC Cladding is backed by an industry-leading Lifetime Limited Warranty and 50-year Fade & Stain Warranty.





COMMERCIAL WARRANTIES

Bring the enduring beauty of TimberTech Advanced PVC Cladding to your commercial builds with the confidence guaranteed with durable materials.





CLASS A RATED FLAME SPREAD INDEX


The Timbertech Vintage Collection® and Landmark Collection are ranked Class A (the highest ranking), which means the most likely to minimize the spread of an active flame. This an important consideration in areas prone to wildfire and reassuring to clients anywhere.



AUTHENTIC WOOD LOOKS WITHOUT THE MAINTENANCE

TimberTech Cladding from AZEK Exteriors' portfolio delivers the full visual experience of wood without the laborious, costly, and constant upkeep required with traditional lumber. TimberTech technology gives our Advanced PVC boards unrivaled aesthetics for a realistic wood look that lasts. Then we back them with industry-leading warranties for both commercial and residential buildings. Our curated collection empowers design flexibility with a variety of color choices and different board profiles and board widths.





BOLD. ELEGANT. TIMELESS.

TimberTech's one-of-a-kind Advanced PVC material was designed to deliver the most realistic wood look available, without additional staining or painting. Unlike traditional wood, TimberTech withstands the elements without compromising on its color, texture, or structural integrity. That translates to a beautiful exterior finish without frequent upkeep or maintenance.



TIMBERTECH CLADDING

Made completely of new and recycled polymer,
TimberTech Advanced PVC boards stay impervious
to moisture, mold, and mildew while also combating
the fading effects of UV rays. Backed by industryleading warranties, TimberTech Cladding delivers
unrivaled design potential and integrity.




STAINED WOOD EXPOSED FOR SEVEN YEARS

Exposure to the elements takes a toll on traditional wood cladding—even premium hardwoods like Ipe will fade to a worn gray without regular and costly maintenance. Traditional woods can be treated with stains and coatings for protection, but will still experience splintering, fading, and dimensional changes.




READ OUR
CLADDING
CASE STUDIES



VINTAGE COLLECTION

The Vintage® Collection offers the widest palette of sophisticated colors and unique board widths in the industry, offering maximum design flexibility with options to fit any home's style. Defined by natural-looking colors that mimic the look of Ipe, teak, and other hardwoods and a subtle wire-brushed, low-gloss finish, this elegant collection ensures a truly authentic wood look.



LANDMARK COLLECTION


The Landmark Collections is designed to resemble popular hardwoods like white oak and walnut that have been crosscut for character-rich texture. Castle Gate offers the muted gray tones of weathered wood, and like all TimberTech Cladding it is fade-resistant and needs no special maintenance. The crosscut grain with a matte finish delivers a soft yet textured look. Cascading colors define board-to-board color variation.





DESIGN'S THE LIMIT

With an unmatched portfolio of diverse colors, woodgrain patterns, and board widths, the design potential with TimberTech Cladding is nearly limitless. With moisture- and fade-resistant Advanced PVC technology, TimberTech Cladding boards protect the integrity of your exterior design vision for years to come. Build on the rich hues and textures of TimberTech Cladding to highlight an entryway, add design detail to a porch ceiling, or as one element among mixed building materials for a clean, dimensional finish.







CLOSED-JOINT CLADDING

Sometimes referred to as "closed-joint," tongue-and-groove boards interlock together with ease, creating a solid barrier with a neat, smoothly finished look without gaps. Tongue-and-groove board sizes:





OPEN-JOINT CLADDING

The open joints between the cladding elements create a strong, linear design pattern while also functionally providing ventilation for proper air circulation.

Square-shouldered board sizes:

3 1/2" WIDTH		
	5 1/2" WIDTH	7 1/4"
		WIDTH

TONGUE-AND-GROOVE	WIDE V		STAN	NDARD V 3 "	WIDTH
Standard Thickness 1"	12'	16'	10'	12'	16'
COASTLINE®	•	•		•	•
WEATHERED TEAK®	•	•		•	•
MAHOGANY	•	•		•	•
DARK HICKORY	•	•		•	•
ENGLISH WALNUT°	•	•		•	•
CYPRESS®	•	•		•	•



SEE FOR YOURSELF AND ORDER A FREE SAMPLE TODAY



SQUARE-SHOULDER	NARROW WIDTH 3½"	STANDARD WIDTH 5½"	WIDE WIDTH 7½"
VINTAGE Standard Thickness 1"	16'	16'	16'
COASTLINE®	•	•	•
WEATHERED TEAK®	•	•	•
MAHOGANY	•	•	•
DARK HICKORY	•	•	•
ENGLISH WALNUT	•	•	•
CYPRESS	•	•	•
LANDMARK Standard Thickness 1"	16'	16'	16'
FRENCH WHITE OAK®		•	
CASTLE GATE™		•	
AMERICAN WALNUT®		•	
BOARDWALK°		•	

The cladding applications depicted in this brochure are for display purposes only and not for the purpose of validating the suitability, warrantability, or safety of any particular installation or application of the product. Always consult AZEK's Installation Instructions as well as local building codes to ensure proper installation.

Depending on environmental conditions, TimberTech cladding colors may appear to change over time as part of the natural weathering process and consistent with applicable Fade & Stain Warranties.



CORTEX HIDDEN FASTENERS

The Cortex® hidden fastening system keeps the focus on the warm, authentic wood aesthetics that complement the entirety of the exterior design and not on the installation method.









BUILDING A SUSTAINABLE FUTURE

The family of brands under The AZEK Company, including TimberTech and AZEK Exteriors, are trailblazers in recycling and using otherwise hard-to-recycle materials in our products. In 2022, we diverted approximately 500 million pounds of waste and scrap materials from landfills and oceans annually, a number we expect to grow to 1 billion pounds by 2026. As of 2022, we are the largest vertically integrated PVC recycler in the USA.

TimberTech Advanced PVC Cladding boards are made from approximately 60% recycled materials and contain no organic wood—meaning no deforestation anywhere. We're not stopping there though. We're furthering our recycling capabilities every day, ensuring that TimberTech Cladding continues to deliver beauty, a long, low-maintenance lifespan, and environmentally conscious leadership.

SUSTAINABLE CLADDING MATERIALS BY THE NUMBERS



3M TREES SAVED
Choosing TimberTech Cladding and
TimberTech decking over wood have
helped save more than 3 million
trees in the past twenty years.



500M LBS DIVERTED
Across the company, we diverted roughly 500 million pounds of waste and scrap in 2022. We also reuse 99% of internal scrap.



95% WATER RECYCLED Thanks to our closed-loop water filtration system, we recycle up to 95% of the water that our company uses each year.

GET TIMBERTECH AND AZEK EXTERIORS REVIT® FILES









AZEK Exteriors and TimberTech are pleased to provide Revit® content for our premium exterior building products. Get started with AZEK BIM projects today: market.bimsmith.com/AZEK.

- · Installation Guides
- Architectural Specification
- · Order FREE Samples

- CAD Drawings
- Care and Maintenance
- · BIMsmith Content

EARN AIA OR AAA CONTINUING EDUCATION CREDITS

AIA Continuing Education Provider To help architects meet continuing education requirements, AZEK sponsors a series of approved courses, which are available for free through online courses, in-person presentations, and as webinars.



LEARN ABOUT OUR SUSTAINABILITY EFFORTS AND PROGRAM



TAKE ONLINE COURSES AND EARN AIA CREDITS



AZEK EXTERIORS

TimberTech