

100 SERIES SPECIALTY WINDOWS

Table of Picture and Single Transom Window Sizes

Scale 1/8" (3) = 1'-0" (305) – 1:96

Window Dimension	11 1/2"	1'-5 1/2"	1'-11 1/2"	2'-5 1/2"	2'-11 1/2"	3'-5 1/2"	3'-11 1/2"	4'-5 1/2"	4'-11 1/2"
	(292)	(445)	(597)	(749)	(902)	(1054)	(1207)	(1359)	(1511)
Minimum Rough Opening	1'-0"	1'-6"	2'-0"	2'-6"	3'-0"	3'-6"	4'-0"	4'-6"	5'-0"
	(305)	(457)	(610)	(762)	(914)	(1067)	(1219)	(1372)	(1524)
Unobstructed Glass	5 1/4"	11 1/4"	17 1/4"	23 1/4"	29 1/4"	35 1/4"	41 1/4"	47 1/4"	53 1/4"
	(133)	(286)	(438)	(591)	(743)	(895)	(1048)	(1200)	(1353)

continued

CUSTOM WIDTHS – 11 1/2" to 95 1/2"									
CUSTOM HEIGHTS – 11 1/2" to 95 1/2"	11 1/2"	1'-5 1/2"	1'-11 1/2"	2'-5 1/2"	2'-11 1/2"	3'-5 1/2"	3'-11 1/2"	4'-5 1/2"	4'-11 1/2"
	(292)	(445)	(597)	(749)	(902)	(1054)	(1207)	(1359)	(1511)
11 1/2"	1010	1610	2010	2610	3010	3610	4010	4610	5010
1'-5 1/2"	1016	1616	2016	2616	3016	3616	4016	4616	5016
1'-11 1/2"	1020	1620	2020	2620	3020	3620	4020	4620	5020
2'-5 1/2"	1026	1626	2026	2626	3026	3626	4026	4626	5026
2'-11 1/2"	1030	1630	2030	2630	3030	3630	4030	4630	5030
3'-5 1/2"	1036	1636	2036	2636	3036	3636	4036	4636	5036
3'-11 1/2"	1040	1640	2040	2640	3040	3640	4040	4640	5040
4'-5 1/2"	1046	1646	2046	2646	3046	3646	4046	4646	5046
4'-11 1/2"	1050	1650	2050	2650	3050	3650	4050	4650	5050
5'-5 1/2"	1056	1656	2056	2656	3056	3656	4056	4656	5056
5'-11 1/2"	1060	1660	2060	2660	3060	3660	4060	4660	5060
6'-5 1/2"	1066	1666	2066	2666	3066	3666	4066	4666	5066



Custom-size windows are available
in 1/8" (3) increments.

* "Window Dimension" always refers to outside frame-to-frame dimension.

* "Minimum Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.

* Dimensions in parentheses are in millimeters.

Table of Picture and Single Transom Window Sizes *(continued)*

Scale 1/8" (3) = 1'-0" (305) – 1:96

Window Dimension	5'-5 1/2" (1664)	5'-11 1/2" (1816)	6'-5 1/2" (1969)	6'-11 1/2" (2121)	7'-5 1/2" (2273)	7'-11 1/2" (2426)
Minimum Rough Opening	5'-6" (1676)	6'-0" (1829)	6'-6" (1981)	7'-0" (2134)	7'-6" (2286)	8'-0" (2438)
Unobstructed Glass	59 1/4" (1505)	65 1/4" (1657)	71 1/4" (1810)	77 1/4" (1962)	83 1/4" (2115)	89 1/4" (2267)

11 1/2"

(292)

1'-0"

(305)

5 1/4"

(591)

1'-5 1/2"

(445)

1'-6"

(457)

1'-11 1/2"

(597)

2'-0"

(610)

2'-5 1/2"

(749)

2'-6"

(762)

2'-11 1/2"

(902)

3'-0"

(914)

3'-5 1/2"

(1054)

3'-6"

(1067)

3'-11 1/2"

(1207)

4'-0"

(1219)

4'-5 1/2"

(1359)

4'-6"

(1372)

4'-11 1/2"

(1511)

5'-0"

(1524)

5'-5 1/2"

(1664)

5'-6"

(1676)

5'-11 1/2"

(1816)

6'-0"

(1829)

6'-5 1/2"

(1969)

CUSTOM HEIGHTS – 11 1/2" TO 95 1/2"

5610	6010	6610	7010	7610	8010
5616	6016	6616	7016	7616	8016
5620	6020	6620	7020	7620	8020
5626	6026	6626	7026	7626	8026
5630	6030	6630	7030	7630	8030
5636	6036	6636	7036	7636	8036
5640	6040	6640	7040	7640	8040
5646	6046	6646	7046	7646	8046
5650	6050	6650	7050	7650	8050
5656	6056	6656	7056	7656	8056
5660	6060	6660	7060	7660	8060
5666	6066				

Custom-size windows are available in 1/8" (3) increments.



Custom-size windows are available in 1/8" (3) increments.

- "Window Dimension" always refers to outside frame-to-frame dimension.
- "Minimum Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.
- Dimensions in parentheses are in millimeters.

100 SERIES SPECIALTY WINDOWS



Table of Picture and Single Transom Window Sizes *(continued)*

Scale 1/8" (3) = 1'-0" (305) – 1:96

Window Dimension	11 1/2"	1'-5 1/2"	1'-11 1/2"	2'-5 1/2"	2'-11 1/2"	3'-5 1/2"	3'-11 1/2"	4'-5 1/2"	4'-11 1/2"	5'-5 1/2"	5'-11 1/2"
	(292)	(445)	(597)	(749)	(902)	(1054)	(1207)	(1359)	(1511)	(1664)	(1816)
Minimum Rough Opening	1'-0"	1'-6"	2'-0"	2'-6"	3'-0"	3'-6"	4'-0"	4'-6"	5'-0"	5'-6"	6'-0"
	(305)	(457)	(610)	(762)	(914)	(1067)	(1219)	(1372)	(1524)	(1676)	(1829)
Unobstructed Glass	5 1/4"	11 1/4"	17 1/4"	23 1/4"	29 1/4"	35 1/4"	41 1/4"	47 1/4"	53 1/4"	59 1/4"	65 1/4"
	(133)	(286)	(438)	(591)	(743)	(895)	(1048)	(1200)	(1353)	(1505)	(1657)
CUSTOM WIDTHS – 11 1/2" to 95 1/2"											
	CUSTOM HEIGHTS – 11 1/2" to 95 1/2"										
	1070	1670	2070	2670	3070	3670	4070	4670	5070	5670	6070
	1076	1676	2076	2676	3076	3676	4076	4676	5076	5676	6076
	1080	1680	2080	2680	3080	3680	4080	4680	5080	5680	6080
	1086	1686	2086	2686	3086	3686	4086	4686	5086	5686	6086



Custom-size windows are available in 1/8" (3) increments.

* "Window Dimension" always refers to outside frame-to-frame dimension.

* "Minimum Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.

* Dimensions in parentheses are in millimeters.